



# Commercial Building Products Catalog.





# Make a difference **inside.**<sup>™</sup>

Your building is more than the spaces inside. It's an opportunity to make a connection, create an experience, influence a reaction, leave an impression.

What you put inside your building makes a difference. Our products are designed exclusively for commercial spaces, to not only help you achieve your vision, but to ensure it stands the test of time. Delivered direct from the manufacturer with world-class service, you can feel good inside knowing that you're taken care of. Because how you feel inside, and how the people within your buildings feel inside - that's what matters.

Experience the difference. Make a difference...inside.<sup>™</sup>

“ I really appreciate factory direct ordering that Inpro provides. I get my product faster without the delays caused by middlemen.”



“ I liked the ability to order online with all of the information on your product line and pricing available. Keep up the good work.”





A man with glasses and a goatee, wearing a dark blue t-shirt with 'inpro' and 'WORK SAFE HOME SAFE' logos, stands in a warehouse with his arms crossed. The background shows wooden pallets and industrial equipment.

# why inpro®

We're different from other building product manufacturers out there - what's inside our walls makes a difference.

We're obsessed with providing a great experience so you feel good inside knowing you'll get what you need, when you need it, delivered with outstanding expertise and service. Experience the difference inside and make a difference inside your buildings, just like the thousands of other customers who've relied on us and keep coming back year after year.





## Service

Many companies claim they're the best when it comes to taking care of customers. At Inpro, we obsess over it. To prove it, we continually survey our customers using the Net Promoter® Survey and continually our customers rate our service as world class.



## Experts

With a team of factory-direct product experts at your disposal, you'll receive personalized assistance throughout your entire project. Our experts will guide you every step of the way, ensuring your needs are met and your expectations exceeded. Even after the project is complete - ensuring you always have the expertise required to keep your project running smoothly.



## Quality



We manufacture almost every product we offer. That way, you can expect quality protection delivered when you need it. On average we ship nearly half our orders in 1 day or less and 99.1% of all orders are shipped perfect - no scratches, dents or defects.



## Order Online

Need to purchase products in a pinch? Looking for technical information? Need a free finish sample for your next project? Want to know the status of an order? You can do it all online, any time at [inprocorp.com](http://inprocorp.com). From buying to specifying, sample ordering to order review and much more, Inpro is always a click away!



## Factory Direct

When you order from us, your products go straight from our factory floor to your door—no middlemen, no fuss. We streamline the process to bring you top-quality products faster and fresher, ensuring you get exactly what you need, right when you need it.

# Make a lasting **Impression!**

Images speak louder than words. They have the power to elevate experience. Spark spirit. Promote productivity. Boost brand. Ramp up recovery. Inspire imagination! After all, you're not just designing a space, you're creating a connection.







## Printed products that bring your space to life:

Our line of image-intense products are designed to stand up to the tough demands of commercial spaces, yet leave a lasting impression.

Page  
30

**Aspex® Printed  
Wall Protection**

Page  
106

**Elevator  
Interiors**

Page  
127

**Printed  
Roller Shades**

Page  
156

**Privacy Curtains**

Page  
234

**Printed  
Signage**

Page  
242

**Wall Art**



## door + wall protection

MasterFormat® Divisions 08 | 09 | 10 | 12

## elevator interiors

MasterFormat® Division 14

## commercial window treatments

MasterFormat® Division 12

### wall protection

- 10 wall protection selection guide
- 12 palladium® rigid sheet wall protection
- 16 palladium® metallics
- 18 palladium® wall panels
- 20 palladium® 3D trim system
- 24 palladium® patterns
- 30 aspex® printed wall protection
- 38 ricochet® flexible wall protection
- 50 continuum™ wall protection
- 56 prism™ solid surface wall cladding
- 58 stainless steel wall cladding
- 60 specialty wall protection
- 61 tools + adhesives
- 62 corner guards
- 70 wall guards
- 80 handrails

### door protection

- 90 palladium® high impact doors
- 92 kickplates, protectors + door frame guards

### colors + finishes

- 94 colors
- 95 finishes

### cab designs

- 100 elevator interiors
- 104 cab designs
- 106 material options
- 110 ceiling + lighting
- 112 mounting options
- 112 handrails
- 114 colors
- 115 finishes

### window treatments

- 120 manual clutch shades
- 121 manual cordless shades
- 122 motorized shades
- 123 specialty shades
- 124 shade accessories
- 126 shade fabrics

# the page where you can find all the things

Not just building products. Solutions for every space all in one place!

## cubicle curtains + track

MasterFormat®  
Divisions 10 | 12

### cubicle track

- 136 cubicle track selection guide
- 138 formatrac® bendable cubicle track
- 140 ultra cube® cubicle track
- 141 whisper cube® cubicle track
- 142 optitrac® cubicle track
- 143 nanotrak® cubicle track
- 143 ultra cube® IV systems
- 144 suspended track
- 144 safety loading unit

### shower curtains

- 146 shower curtains + accessories
- 147 shower curtain fabrics

### cubicle curtains

- 149 curtain options + accessories
- 150 disposable curtains
- 152 in stock curtains
- 154 shield by panaz®
- 156 custom print program
- 158 the perfect trio
- 160 fabric selection guide

### drapery + top treatments

- 182 drapery
- 184 cornice boards
- 184 valances

## washroom systems

MasterFormat®  
Divisions 06 | 10 | 22

### washroom systems

- 192 prism™ solid surface
- 194 prism™ shower walls + trim
- 198 shower base selection guide
- 200 standard shower bases
- 202 custom shower bases
- 204 trench shower bases
- 208 prism™ veined solid surface
- 210 partitions
- 212 grab bars, shower seats + shower caddies
- 214 prism™ colors

## architectural signage

MasterFormat®  
Divisions 10 | 12

### signage

- 220 architectural signage
- 222 standard sign designs
- 232 signage materials
- 234 printed signage
- 236 specialty signage
- 238 palladium® colors
- 240 photopolymer + acrylic text colors
- 242 printed wall art
- 244 image selection
- 246 mounting options

## expansion joint systems

MasterFormat® Division 7

### expansion joints

- 252 thermal systems
- 252 foam + compressions seals
- 253 seismic systems
- 254 exterior systems
- 254 heavy duty systems
- 254 moisture barrier systems
- 254 wide + lateral shear
- 258 fire barrier systems

# door + wall protection

## **unmatched protection**

When it comes to wall protection, we believe in giving you options for material choices. We'll never sacrifice durability. Our products are designed to stand the test of time.

## **low maintenance**

Our products are long-lasting and easy to clean, saving you time + money on maintenance and repairs.

## **design forward**

We're always adding new designs, colors + finishes to our product portfolio. Visit Design + Inspiration on [inpro.com](http://inpro.com) for new ideas and inspiration to refresh your space!

## **Page index:**

Page  
12

**Wall Protection**

Page  
62

**Corner Guards  
Wall Guards  
Handrails**

Page  
90

**Door Protection**

Page  
94

**Colors**





**Renown Regional Medical Center | Reno, NV**  
Aspex® Printed Wall Protection



	Palladium® Rigid Sheet Wall Protection	Palladium® Wall Panels	Palladium® 3D Trim	Palladium® Patterns
Page Number	12	18	20	24
Description	Superior impact resistance to keep your walls safe from damage. Chemical resistance for cleaning.	Engineered with Palladium® Rigid Sheet for extreme durability. Wall panels available with trim system or wrapped edges.	Combine the durability of Palladium® Rigid Sheet with accent trim for a three dimensional aesthetic.	Standard designs printed on Palladium® Rigid Sheet.
Typical Applications	High traffic areas	Feature walls, headwalls, lobbies	High traffic wainscoting, feature walls, headwalls	Areas that require more aesthetics than defense
Cost Index*	\$	\$\$\$	\$\$	\$\$
Colors	Solid Colors, Patterns, Metallics, Woodgrains	Solid Colors, Woodgrains, Select Patterns, Metallics, Aspex®	Solid Colors, Metallics, Woodgrains	Standard Patterns
Thickness	Standard: .040", .060" Also Available: .030", .080"	3/8" nominal	3/8", 1/2", 5/8"	.040"
Dimensions	Standard: 4' x 8' sheet Custom heights + lengths, rolls up to 120' also available	Exposed Edge: Standard sizes with trim Wrapped: Custom fabricated sizes	2", 3", 4", 6", and 8" widths, 96" lengths	4' x 8' or 4' x 10'
Fire Safety	Class A Fire Rated	Class A Fire Rated	Class A Fire Rated	Class A Fire Rated
Installation	Inpro Bond Trowel-on, Inpro Bond Roll-on Adhesive, 3M Fastbond 30 Contact Cement	Demountable z-clip or adhesive mount	PL Premium	Inpro Bond Trowel-on, Inpro Bond Roll-on Adhesive + 3M Fastbond 30

For Sale Online 

\*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.



Aspex® Printed  
Wall Protection

30

Use custom images for total design freedom while protecting your walls from damage.

Large feature walls, headwalls, corridors

\$\$\$

Custom Imagery +  
Standard Patterns

.040"

4' x 10'

Class A rated, ASTM E-84; NFPA 286

Inpro Bond Trowel-on Adhesive



Ricochet® Flexible  
Wall Protection

38

Combines the look of premium wallcovering with the durability of rigid sheet. Chemical resistance for cleaning/graffiti removal.

Areas requiring a high-end, textured visual appeal

\$\$\$

21 Pattern Families,  
344 colorways

.032" - .040"

Trims to 48"  
1 roll = 15LY

Class A rated, ASTM E-84;  
NFPA 286

Roman Pro-935  
Primer + Roman  
Pro-555 Wallcovering adhesive



Continuum™  
Wall Protection

50

Hygienic wall cladding that is thermal stable and fiberglass free.

Environments with  
moisture or temperature  
fluctuation

\$

Pure White, Natural White,  
Ivory, Pearl, Black

.080"

4' x 8' or 4' x 10'

Class A Fire Rated

547-SSA, 548,  
and Inpro Bond  
Roll-on Adhesive



Stainless Steel  
Wall Cladding

58

Pre-fabricated panels or standard size sheet wall cladding to be field out.

Areas that require heavy  
duty protection

\$\$\$\$

#4 Brushed Satin Finish or  
Diamond Plate

Panels: 14, 16, 18 or 20 gauge  
Sheet: 18 or 20 gauge

Pre-fabricated Panels:  
4' x 10' Max  
Sheet: 4' x 8' or 4' x 10'

Adhesive mount or  
mechanically fasten



# Palladium<sup>®</sup> Rigid Sheet Wall Protection

## Preserving interiors with sophisticated finishes.

Give your walls a fighting chance with Palladium<sup>®</sup> Rigid Sheet Wall Protection. Palladium provides superior impact resistance to keep your walls safe from damage, so you can say goodbye to endless repairs!

### 10 26 00 | Wall + Door Protection



**Dimensions:** 4' x 8' (1.22m x 2.44m) standard, 4' x 10' (1.22m x 3.05m), rolls and custom heights + lengths available with minimum order requirements



**Thickness:** .040" (1mm) and .060" (1.5mm) standard, .030" (.76mm), .080" (2mm) also available



**Materials:** uPVC, G2 PVC-Free Available



**Fire Safety:** Class A



**Chemical and Stain Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** Does not support fungal or bacterial growth as tested in accordance with ASTM G-21 and ASTM G-22



**Impact Resistance:** ASTM D-256-90b



**Air Quality:** GREENGUARD<sup>®</sup> Certified, GREENGUARD<sup>®</sup> Children and Schools



**Environmental:** No phthalates, HPD, EPD



**Colors:** Standard Solid Colors, Woodgrains, Patterns, Metallics, Custom



**Finishes:** Velvet Texture




Visit [inpro.com/Palladium25](https://inpro.com/Palladium25) for spec info + to buy online!



**Medical Center | Hallway**  
Palladium® Rigid Sheet Wall Protection

# Palladium® Rigid Sheet Components



**1**

Palladium®  
Rigid Sheet

**3**

585 Color Matched  
Caulk at Butt Joints

**5**

407 Top Cap/Trim

**2**

409 Inside Corner

**4**

Tape on  
Corner Guard

**6**

408 Divider Bar

Woodgrains run the length of sheet.



## coordinating products



### Trim

Use divider bar, corner and top cap trim with wall protection for a finished installation. Available in color-matched, stainless, aluminum or faux metal trim pieces. Color-matched caulk also available for a seamless appearance.

Learn more about trim at  
[inpro.com/PalladiumTrim25](http://inpro.com/PalladiumTrim25)



### Color Matched Caulk

Fill joints between rigid sheet wall protection for a seamless appearance with FastFill™ Color Matched Caulk.



### Inpro Bond Roll-on Adhesive

Save installation time by adhering Palladium® Rigid Sheet and Rubrails to your walls with an easy-to-use roller.



### Available in Rolls

Minimize seams on your wall with Rolled Rigid Sheet!

Available in uPVC material only.  
.040 - 50', 80', 100', 120' .060 - 50', 80'

**University of North Carolina | Charlotte, NC**  
Palladium® Rigid Sheet Wall Protection

# Palladium<sup>®</sup> Metallics

## The look of real metal, without the cost.

Get the look of real metal, without the cost! Our Palladium<sup>®</sup> Rigid Sheet Wall Protection now comes in several sleek metallic finishes to shine in areas that need protection.



**Dimensions:** 4' x 8' (1.22m x 2.44m) standard, 4' x 10' (1.22m x 3.05m), rolls and custom heights + lengths available with minimum order requirements



**Thickness:** .040" (1mm) and .060" (1.5mm) standard,



**Material:** uPVC



**Fire Safety:** Class A



**Chemical and Stain Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** Does not support fungal or bacterial growth as tested in accordance with ASTM G-21 and ASTM G-22



**Impact Resistance:** ASTM D-256-90b



**Air Quality:** GREENGUARD<sup>®</sup> Certified, GREENGUARD<sup>®</sup> Children and Schools



**Environmental:** No phthalates, HPD, EPD




**Finishes:** Velvet Texture

Also available in trim and corner guards.



Visit [inpro.com/palladium-metallics25](https://inpro.com/palladium-metallics25) to learn more!







**Hotel Lobby**

Palladium® Rigid Sheet Metallic in Midnight Blue Palladium® 3D Trim in Soft Gold





Palladium®

# Wall Panels

Wall panels in Chatsworth Oak with Reveal Trim

# trim system



**Thickness:** 3/8" nominal (12.7 mm)

**Sizes:** 46" (1.12m) x 94" (2.4m) or  
46" (1.12m) x 118" (3m)  
*Cut to size in field*

**Material Options:** Palladium® Rigid Sheet,  
Aspex® Printed Wall Protection

**Aluminum Trim:** Reveal, Fineline, Flush



Fineline Trim



3/8" Reveal Trim



3/4" Reveal Trim



Flush Trim

# wrapped edges



**Thickness:** 3/8" nominal (12.7 mm)

**Sizes:** Custom

**Reveal:** With or without reveal,  
door edge trim available

**Material Options:** Palladium® Rigid Sheet

**Edge Options:** Fully Wrapped Square edge  
profile + Beveled profile



Visit [inpro.com/WallPanels25](https://inpro.com/WallPanels25) to learn more about wall panel systems and trim options.





# **Hotel Bar**

Palladium® 3D Trim and Rigid Sheet Wall Protection in American Teak

# Palladium® 3D Trim System

## Give your walls dimension.

Mix and match Palladium® 3D Trim to create endless style options with maximum protection. Wrapped in our Palladium® Rigid Sheet Vinyl Wall Protection, 3D Trim's easy-to-install design ensures no bowing, chipping, or scratching.

Standard 96" (2438mm) lengths available in 2" (51mm), 3" (76mm) and 4" (102mm) standard widths.

*NOTE: Add suffix "W" for Woodgrains. \*Custom widths available.*



P-3DHTC258 - 2" width  
P-3DHTC358 - 3" width  
P-3DHTC458 - 4" width  
P-3DHTC458 - 8" width



3/8" Board  
**Part Numbers:**  
P-3DVB2 - 2" width  
P-3DVB3 - 3" width  
P-3DVB4 - 4" width



1/2" and 5/8" Board  
**Part Numbers:**  
P-3DHB2 - 2" width  
P-3DHB3 - 3" width  
P-3DHB4 - 4" width

P-3DHB258 - 2" width  
P-3DHB358 - 3" width  
P-3DHB458 - 4" width



Inside Corner  
90° or 135° degree angle  
**Thickness:** 1/2", 3/8", 5/8"

**Part Numbers:**  
P-3DICP2 - 2" wings  
P-3DICP3 - 3" wings  
P-3DICP4 - 4" wings  
P-3DICF2 - 2" wings  
P-3DICF3 - 3" wings  
P-3DICF4 - 4" wings



Trim Shoe  
**Thickness:** 5/8"  
**Part Numbers:**  
P-3DTC2 - 2" width  
P-3DTC3 - 3" width  
P-3DTC4 - 4" width



Outside Corner  
**Thickness:** 1/2", 3/8", 5/8"  
90° or 135° degree angle

**Part Numbers:**  
P-3DOCP2 - 2" wings  
P-3DOCP3 - 3" wings  
P-3DOCP4 - 4" wings  
P-3DOCF2 - 2" wings  
P-3DOCF3 - 3" wings  
P-3DOCF4 - 4" wings



2 1/2" width  
Decorative Molding  
**Part Numbers:**  
P-3DHMB25 - Horizontal  
P-3DVMA25 - Vertical



Palladium® Rigid Sheet  
Our 3D Trim system is used with our Palladium Rigid Sheet including our Beadboard option.

## features

- Standard thicknesses: 3/8" (9.5mm) vertical and 1/2" (12.7mm) horizontal, 5/8" thick also available
- More durable than wood and laminates, but just as easy to cut
- Product provided with fully wrapped finished ends
- Class A Fire Rating
- Mounted with adhesive and finish nails
- Pre-matched Fil-Stik available to fill finish nail holes (Woodgrains only)
- Available in all Palladium® finishes

 [View all 3D Trim styles at inpro.com/3d25](https://inpro.com/3d25)

# Palladium<sup>®</sup>

## 3D Trim Components



**1** ½" Vertical Boards at End

**2** ½" Thick Inside Corner

**3** ¾" Thick Vertical Board

**4** .040" Palladium Rigid Sheet

**5** ½" Thick Horizontal Board

**6** ½" Thick Outside Corner

**7** ½" Thick Top Cap Board

**8** ½" Thick Horizontal Board





**Hotel | Guest Room**

Palladium® 3D Trim and Rigid Sheet Wall Protection in Barrel Oak

# Palladium® Patterns

## Protection that pops.

Introducing Palladium® Patterns. Bold new designs printed on our Rigid Sheet Vinyl Wall Protection. Give your walls personality in areas that require more aesthetics than defense.



**Dimensions:** 4' x 8' (1.22m x 2.44m) standard, 4' x 10' (1.22m x 3.05m) available with minimum order requirements



**Thickness:** .040" (1mm) standard



**Material:** uPVC



**Fire Safety:** Class A



**Chemical and Stain Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** Does not support fungal or bacterial growth as tested in accordance with ASTM G-21 and ASTM G-22



**Impact Resistance:** ASTM D-256-90b



**Air Quality:** GREENGUARD® Certified, GREENGUARD® Children and Schools



**Environmental:** No phthalates, HPD, EPD



**Finishes:** Velvet Texture

Palladium® Patterns available for Rigid Sheet and Exposed Edge Wall Panels only. Vertical and horizontal designs available.



**Visit [inpro.com/Patterns25](https://inpro.com/Patterns25) to learn more!**








**Clinic | Lobby**

Palladium® Patterns in Linea, 405-LNV-2404

# Palladium® Patterns Composition



**1 Clear Coat**

**2 Top Surface Printed Pattern**

**3 Palladium® Rigid Sheet**






**Clinic | Exam Room**

Palladium® Patterns in Loom, 405-LM-2402

# Palladium® Patterns

## Legacy



405-LG-2408



405-LG-2401



405-LG-2402



405-LG-2403



405-LG-2404



405-LG-2405



405-LG-2406



405-LG-2407



405-LG-2409

## Linea



405-LNV-2406



405-LNV-2401



405-LNV-2402



405-LNV-2403



405-LNV-2404



405-LNV-2405




405-LNV-2407


## Loom



405-LM-2404



405-LM-2401



405-LM-2402



405-LM-2403



405-LM-2405




405-LM-2406



405-LM-2407





\*Geo is a large scale pattern. Please request sample for full effect.

 **Order FREE samples at [inpro.com](https://inpro.com) for a more accurate color representation.**

Aspex<sup>®</sup>

# Printed Wall Protection

## Not just a wall. A canvas.

Your image. Your branding. Your statement. Aspex<sup>®</sup> Printed Wall Protection gives you total design freedom while protecting your walls from the toughest damage at the same time. Be the composer of your canvas, the director of your design. Create a work of art that stands the test of time. Images speak louder than words. What will your walls say?

### 10 26 00 | Wall Protection



**Width:** Supplied in 4' x 10' (1.22m x 3.05m) sheets (larger images can be printed across multiple sheets)



**Thickness:** .040" (1mm)



**Material:** PETG sheet extruded from chemical and stain-resistant PETG with matte finish



**Backing:** Opaque White Backer



**Fire Safety:** Class A rated, ASTM E-84; NFPA 286



**Chemical Resistance:** ASTM D-543



**Graffiti Resistance:** ASTM D6578



**Fungal + Bacterial Resistance:** ASTM G-21 and ASTM G-22



**Impact + Abrasion Resistance:** ASTM F 476-84, ASTM D 4060



**Indoor Air:** GREENGUARD<sup>®</sup> Certified, GREENGUARD Product Emission Standard for Children & Schools



**Environmental:** No phthalates




**Finishes:** Custom imagery or standard pattern families, Matte Texture



Visit [inpro.com/Aspex25](https://inpro.com/Aspex25) to learn more.





## Need Inspiration?


Don't have your own artwork? Not a problem! We subscribe to a number of stock photography sites with millions of images to choose from.

*Please contact one of our sales reps for more information.*

**VCUHS Adult Outpatient Pavilion | Richmond, VA**  
Aspex® Printed Wall Protection



# Aspex<sup>®</sup> Composition



**1**

## **Clear PETG:**

This .040" (1mm) layer offers protection for both your wall and your image. It includes a matte finish to reduce glare.

**2**

## **High Resolution Printed Imagery:**

Subsurface printed on back side of PETG.

**3**

## **Opaque White Backer:**

Provides an opaque layer between the wall and printed graphics.







**Hotel Lobby**  
Aspex® Printed Wall Protection



# Aspex<sup>®</sup> Printed Wall Protection

Immerse yourself in innovation with our wall protection solution that ensures your image remains vivid and sharp, all while preserving its robust durability.



**Renown Regional Medical Center | Reno, NV**

Aspex<sup>®</sup> Printed Wall Protection






# Aspex<sup>®</sup>

## Standard Patterns

**Legacy**



ASPW-LG-2403



ASPW-LG-2401



ASPW-LG-2402



ASPW-LG-2404



ASPW-LG-2405



ASPW-LG-2406

**Linea**



ASPW-LNV-2406



ASPW-LNV-2401



ASPW-LNV-2402



ASPW-LNV-2403



ASPW-LNV-2404



ASPW-LNV-2405




ASPW-LNV-2407

**Loom**



ASPW-LM-2404



ASPW-LM-2401



ASPW-LM-2402



ASPW-LM-2403



ASPW-LM-2405



ASPW-LM-2406



ASPW-LM-2407

**Bloom**



Blue Gray | A028



Cashmere  
A027



Persimmon  
A029



Light Gray  
A026




Soft Green  
A030



Order **FREE** samples at [inpro.com](https://inpro.com) for a more accurate color representation.



## Drift



Blue Gray | A013



Cashmere  
A012



Persimmon  
A014



Light Gray  
A011



Soft Green  
A015

## Entwine



Aquamarine | A019



Cashmere  
A017



Blue Gray  
A018



Light Gray  
A016



Dark Gray  
A020

## Inkling



Blue Gray | A003



Cashmere  
A002



Persimmon  
A004



Light Gray  
A001



Soft Green  
A005

## Interstellar



Aquamarine | A008



Cashmere  
A007



Persimmon  
A009



Light Gray  
A006



Soft Green  
A010

## Prairie



Blue Gray | A023



Cashmere  
A022



Persimmon  
A024



Light Gray  
A021



Dark Gray  
A025

Ricochet®

# Flexible Wall Protection

**The look of premium wallcovering, with the durability of rigid sheet.**

Ricochet® Flexible Wall Protection is not only durable, designer friendly, impact + abrasion resistant - it's chemical resistant and can withstand regular exposure to harsh, commonly used cleaning chemicals including Bleach, Isopropyl Alcohol, Virex®.

## 10 26 23 | Flexible Protective Wallcovering



**Width:** Trims to 48" (1219mm)



**Packaging:** 15 yard rolls (13.7m)



**Thickness:** .032", .040" nominal



**Backing:** Heavy polyester/cotton knit



**Fire Safety:** Class A rated, ASTM E-84; NFPA 286



**Chemical Resistance:** ASTM D1308-02



**Fungal + Bacterial Resistance:** ASTM G21-15 and ASTM G22, ASTM E1428



**Impact + Abrasion Resistance:** ASTM D5420, ASTM D 4060



**Indoor Air:** Meets California section 01350



**Environmental:** No phthalates, HPD, EPD



**Radius Walls:** Minimum 10' radius on curved surfaces. Not recommended for installation on columns.



**Colors + Finishes:** 21 pattern families, 344 total colorways



**Visit [Inpro.com/Ricochet25](https://inpro.com/Ricochet25) to learn more and view all patterns.**





**St. Vincent De Paul Family Resource Center | Phoenix, AZ**  
Ricochet® Pattern in Passage, Gold Star



# Ricochet® Features + Benefits



## Durable

A proprietary top coating and .032"-.040" thickness provides superior resistance to protect your walls from damage.



## Resilient

Stains, markings and graffiti can be removed completely without damage to the surface withstanding the strongest of standard liquid cleaners.




## Seamless

No trim needed between seams!  
Double-cut installation provides a seamless appearance.



## Flexible

Packaged in 15 yard rolls, for easy handling and onsite storage.



## Textured

Patterns provide texture to your walls through woven metallic, open weaves and deep embossing.



## Coordinating

Use with matching corner guards and top cap trim to complete your look. Ricochet® is also available in Type II for areas requiring less protection.



## coordinating products



### Top Cap Trim

Built-in channel fits right over the top for easy installation and provides protection for partial height installations.



### 3D Trim

Wrapped in our Palladium® Rigid Sheet, our durable 3D Trim installs at wainscot height for a finished, decorative edge that cuts like real wood in the field.



### Corner Guards

Use coordinating corner guards and top cap trim to complete your look.

**Ricochet® Pattern in Passage,Americano**

# Ricochet<sup>®</sup> Patterns + Colorways

To view all colorways visit [inpro.com](http://inpro.com).

## **NEW!** Bluff

12 total patterns



Coastal View | 2207

## **NEW!** Inline

16 total patterns




Crystal | 2405

## **NEW!** Luxe


15 total patterns



My Darling | 2311




Rocky Path | 2205



Tidal Wave | 2208



Crema | 2404



Meteor | 2408




So Pretty | 2301




Plein Air | 2305




Horizon Blue | 2210



Starry Night | 2211




Plaza | 2410



Blue Lotus | 2412



Stand Out | 2309



Merino Wool | 2312



Visit [inpro.com/RicochetSamples25](http://inpro.com/RicochetSamples25) to view all our samples.

**NEW!** Tweed


14 total patterns



Nori | 2504



Polish | 2501



Blue Lagoon | 2506



Beach Day | 2509



Perfect Taupe | 2512




**NEW!** Ricochet® Pattern in Tweed, Sunday Walk

# Ricochet<sup>®</sup> Patterns + Colorways

To view all colorways visit [inpro.com](http://inpro.com).

## Clarity

18 total patterns



Lake Michigan | R816




Afterglow | R803



Cool Breeze | R812



Splash | R813



Mist | R814

## Dash


20 total patterns




Solstice | R1413




Cool Shine | R1408



Transcend | R1411



Sorcerer | R1418



Blue Cloud | R1419

## Fresco

18 total patterns



Cool Cedar | R1514



Fresh White | R1512



Timeless Tan | R1510



Rapid Wood | R1515



Black Ash | R1517




Visit [inpro.com/RicochetSamples25](http://inpro.com/RicochetSamples25) to view all our samples.



## Harmony

15 total patterns




Gladiator | R308



White Smoke | R309\*



Log Cabin | R315



Cool Charcoal | R307




Blacktop | R304

## Kona


8 total patterns




Common Fig | R1603




Horizon | R1605



Mineral | R1606




Pea Shell | R1601



Charcoal | R1607

## Mantra


16 total patterns




Parasol | R2012




White Cotton | R2002



Craft Paper | R2000



Pottery | R2010



Chopsticks | R2009

# Ricochet<sup>®</sup> Patterns + Colorways


To view all colorways visit [inpro.com](http://inpro.com).

## Meta


17 total patterns




Folkstone | R1214




Galaxy Grey | R1210



City Loft | R1213



Indie Blue | R1200



Night Owl | R1211

## Oakwood

16 total patterns



Dark Sky | R2106



Winter White | R2101



Salt | R2102



Luxe | 2104




Grown Up | 2107

## Passage

18 total patterns



Dark Chrome | R209



Blue Jean | R204



Dandelion | R206



Silver Dollar | R208



Americano | R210



Visit [inpro.com/RicochetSamples25](http://inpro.com/RicochetSamples25) to view all our samples.

## Scree

8 total patterns



Pearl | R1701




Blanco | R1700



Ochre | R1705




Bone | R1706



Graphite | R1704

## Scenic


17 total patterns




Beach Glass | R1800



Strand | R1805



Eagle Scout | R1807



Silver Lining | R1810



Sand Castle | R1812

## Sketch

18 total patterns




Sidewalk | R715




Flurry | R714



Pottery | R710



Sterling Silver | R718



King Of Spades | R717




# Ricochet<sup>®</sup> Patterns + Colorways

To view all colorways visit [inpro.com](http://inpro.com).

## Spark

21 total patterns



Twilight Zone | R415



Stay Gold | R405



Snowed In | R40



Take The Gold | R411



Silver Bells | R416

## Strata


24 total patterns




Ocean Blue | R601



Dazed | R606



Skyscraper | R607




Smolder | R608



Desert Sand | R616

## Tempo


17 total patterns




Hazy White | R1308




Deep Blue Sea | 1304



Natural Spring | R1300



Cool Beige | R1311




Copper Cocoa | R1312




Visit [inpro.com/RicochetSamples25](http://inpro.com/RicochetSamples25) to view all our samples.

## Tempo Tide

7 total patterns




Deep Blue Sea | R1906



Cool Beige | R1901



Warm White | R1903




Hazy White | R1904




Blue Trance | R1905

## Wayfare


30 total patterns




Misty Morning | R1008



Stratosphere | R1004



Pitch Black | R1006



Go Greige | R1024



Esker Gray | R1025

# Continuum<sup>TM</sup> Wall Protection

## Protection from the elements.

Continuum<sup>TM</sup> Wall Protection provides industrial-strength wall protection you can count on to protect the most sensitive spaces in your building. This NSF Certified, durable, hygienic, **fiberglass-free material** is excellent for areas where extreme temperature fluctuations occur such as commercial kitchens, locker rooms, and back-of-house.

### 09 72 16 | Wall Protection



**Dimensions:** 4' x 8' (1.22m x 2.44m) and 4' x 10' (1.22m x 3.05m) standard



**Thickness:** .080" (2mm)



**Finishes:** Flat or Decorative Designs, Velvet Texture



**Material:** uPVC based



**Fire Safety:** Class A



**Chemical and Stain Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** does not support fungal or bacterial growth as tested in accordance with ASTM G-21 and ASTM G-22



**Impact Resistance:** ASTM D-256-90b



**Air Quality:** GREENGUARD® Certified, GREENGUARD® Children and Schools



**Environmental:** No phthalates, HPD, EPD




**Colors:** Pure White, Natural White, Pearl, Ion, Black



**Applications:** Operating rooms, clean rooms, commercial kitchens, locker rooms, back-of-house, laboratories

### Continuum<sup>TM</sup> Wall Protection Trim

Create a polished look for your Continuum<sup>TM</sup> sheets by incorporating divider bars, corner trim, and top caps.



### NEW! Continuum<sup>TM</sup> Wraps

Continuum<sup>TM</sup> Wraps offer minimal seams, durable wall protection for hygienic environments.



Visit [inpro.com/Continuum25](https://inpro.com/Continuum25) for spec info + more!





**Back of House | Kitchen**  
Continuum™ Wall Protection

# Continuum™

# Decorative Designs

## Versatile and Durable.

Continuum™ offers versatile solutions with interlocking edges that facilitate seamless installation and provides a genuine tile aesthetic.

### 09 72 16 | Wall Protection



**Dimensions:** Nominal 4' x 8' (1.22m x 2.44m) and 4' x 10' (1.22m x 3.05m)



**Thickness:** .080" (2mm)



**Finishes:** Decorative designs



**Material:** uPVC based



**Fire Safety:** Class A



**Chemical and Stain Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** does not support fungal or bacterial growth as tested in accordance with ASTM G-21 and ASTM G-22



**Impact Resistance:** ASTM D-256-90b



**Air Quality:** GREENGUARD® Certified, GREENGUARD® Children and Schools



**Environmental:** No phthalates, HPD, EPD



**Colors:** Single and Two-Tone Color Options



Visit [inpro.com/continuumdesign25](https://inpro.com/continuumdesign25) to learn more!



**Restaurant | Cafe**


Continuum™ Subway Tile Design | Ion on White




# Continuum™

## Standard Designs


**Chevron**



**Rectangle**



**Square**



### Two-Tone Color Options



Pure White on Black



Pure White on Ion



River Rock on Natural White




Ion on White




Boulder on Ion

 **Order FREE samples at [inpro.com](https://inpro.com) for a more accurate color representation.**


**Staggered Plank\***




**Subway Tile\***



**Staggered Weave\***



**Vertical Plank**



"Grout" lines can match the sheet or have two-tone look.

\*Designs interlock sheet to sheet to provide seamless appearance.

# Prism™ Solid Surface

## Renewable + Configurable Wall Cladding.

From washrooms and locker rooms to operating rooms and other sterile environments, our Prism™ Solid Surface Wall Cladding is designed to stand up to commercial demands while keeping them clean. Prism is inherently antimicrobial to inhibit the growth of mold and mildew, so your facility can maintain the highest standards in cleanliness.



**Material:** Proprietary Prism™ Solid Surface



**Fire Safety:** Class A Rated, ASTM E84



**Chemical Resistance:** ANSI Z124-2011, Pass



**Fungal + Bacterial Resistance:** ASTM G21 and G22



**Impact Resistance:** NEMA LD-3-3.3 1/2lb. ball 118" (3.0m) drop



**Air Quality:** GREENGUARD® Certified



**Environmental:** HPD, EPD



**Colors + Finishes:** 28 Colors



Visit [inpro.com/prismwalls25](https://inpro.com/prismwalls25) to learn more!







**Hospital | Operating Room**  
Prism™ Solid Surface Wall Protection

# Stainless Steel Wall Cladding

## Sleek and Strong Solutions.

Made from high-quality stainless steel, these sheets are resistant to impact, corrosion, and wear, providing long-lasting protection. Enhance your space with our sleek finish and matching trim options, creating a polished and sophisticated look.

### 09 72 16 | Wall Protection



**Dimensions:** 4' x 8' (1.22m x 2.44m),  
4' x 10' (1.22m x 3.05m) standard  
or pre-fabricated to size



**Thickness:** 16ga, 18ga, or 20ga



**Finishes:** Smooth brushed #4 finish or diamond plate



**Alloy:** 304 or 430



**Installation:** Screw-on (with holes) or adhesive  
mounted (Screw-on available in smooth finish only)

### Stainless Steel Wall Cladding Trim

Our Stainless Steel Trim is paired with our Stainless Steel Sheet Wall Cladding to make installation simple. Use our trim to cover seams and edges after making field cuts.



**Butt Joint**



**Overlap**



**Trim**



**Surface Mount  
Corner Guard**



Learn more about Stainless Steel Wall Cladding at [inpro.com/stainless25](https://inpro.com/stainless25)



### **Stainless Steel Column Covers**

Stainless Steel Column Covers are designed for both square and circular columns, available in a variety of installation methods to suit different needs.

**Stainless Steel Wall Cladding**



# Specialty Wall Protection

## NuTree® + Aluminum Diamond Plate.


We are wall protection experts. That means we offer even more options for other applications you might need.



### NuTree® Wall Protection

NuTree® Wall Protection provides a high-impact, heavy-duty solution for areas in your building that take on the toughest damage.

- 3/16" thickness
- Available in 4' x 8' sheets
- Manufactured from Medium Density Polyethylene (MDPE)
- Easy-to-cut and install in field
- Protects against damage caused by heavy equipment
- Great for back-of-house or maintenance areas
- Stamped with diamond plated texture
- Class B fire rated
- Available in Black and Gray




### Aluminum Diamond Plate

Provides a high impact solution for areas such as back-of-house, loading docks, or even a decorative look for industrial areas.

- Manufactured from type 3003-H22/H24 aluminum
- Easy-to-cut, fabricate and install in field
- 0.063" thickness
- Brite tread finish
- Available in 4' x 8' or 4' x 10'
- Inside/outside corners available

# Tools + Adhesives

Products	Part #	Coverage	Palladium®	Continuum™	Aspex®	Ricochet®	Tape-on + Stainless Steel CG's 3D Trim
Inpro Bond Roll-on Adhesive	602	1 gallon - (7) 4' x 8' sheets	✓	✓			
	603	4 gallon - (31) 4' x 8' sheets					
Inpro Bond Trowel-on Adhesive	600	1 gallon - (4) 4' x 8' sheets	✓		✓		
	601	5 gallon - (21) 4' x 8' sheets					
FastFill Color Matched Caulk	585	10.3 oz Cartridge - 50lf	✓	✓	✓	✓	
Fastbond 30 Contact Cement	510	1 gallon - (11) 4' x 8' sheets	✓		✓		
	520	5 gallon - (55) 4' x 8' sheets					
Continuum Adhesive for Porous Walls	547-SSA	3.5 gallon - (6.25) 4' x 8' sheets		✓			
Titebond Adv Polymer Adhesive for Non-Porous Walls	548	3.5 gallon - (5.5) 4' x 8' sheets		✓			
Roman PRO-555 Adhesive	RC-ADHESIVE-1A	1 gallon - 160 sq ft				✓	
	RC-ADHESIVE-5A	5 gallon - 800 sq ft					
Roman PRO-935 Primer	RC-PRIMER-1A	1 gallon - 350 - 450 sq ft				✓	
	RC-PRIMER-5A	5 gallon - 1,750 - 2,250 sq ft					
PL Premium Heavy Duty Adhesive	535	10.2 oz Cartridge					✓
	536	28 oz Cartridge					




**Inpro Bond Roll-on Adhesive**

# We don't cut corners, **we protect them.**

**Low-Profile**

For areas with low traffic, go with a Low-Profile Corner Guard for a simple, cost effective solution.


**High-Impact**

For areas with high traffic, High-Impact Corner Guards provide more protection with the addition of impact retainers.

**Heavy-Duty**

For heavily used areas that experience frequent damage, go with NuTree®, Stainless Steel or Rubber Corner Guards.






**The Trade Marriott® | Milwaukee, WI**  
Tape-on Corner Guards in Black

## Low-Profile

## High-Impact



	Tape-On/ No Tape	Flexible	Anodized Aluminum	Clear Polycarbonate	160
Page Number	68	68	68	69	66
Type	Low-Profile	Low-Profile	Low-Profile	Low-Profile	High-Impact Surface or Flush Mount
Cost Index*	\$	\$	\$\$	\$	\$\$
Colors	Solid Colors, Woodgrains, Select Patterns, Metallics	Solid Colors	Black, Bronze, Clear Anodized	Clear	Solid Colors, Woodgrains, Metallics
Standard Heights	4', 8', 9', 12'	4', 8', 9', 12'	12'	4', 8'	4', 8', 9', 12'
Wing Sizes	¾", 1½", 2" (bullnose only), 3"	¾", 1½"	½", ¾", 1½"	¾", 1½", 2 ½"	2"
Degrees	90°, 135°, 90° Bullnose, Custom angles available	90°, 135°	90°	90°, 135°	90° std. Custom angles available
Material Options	uPVC Rigid Vinyl, G2 PVC-Free	Flexible Vinyl	Aluminum	Polycarbonate	uPVC Rigid Vinyl, G2 PVC-Free
Installation	Double Sided Foam Tape***, PL Premium Adhesive	PL Premium Adhesive	PL Premium Adhesive	Fasteners or Adhesive Tape	Retainer with Hardware
For Sale Online	✓	✓	✓	✓	✓

\*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

\*\*G2 PVC-Free available in 12' (3.66m) length Solid Colors only.  
Other sizes custom; set up charges apply.

\*\*\*G2 PVC-Free not available with tape.

\*\*\*\*Woodgrains and Metallics only available in uPVC Rigid Vinyl.




Visit [inpro.com/CornerGuard25](https://inpro.com/CornerGuard25) for spec info + buy online!

# corner guard

## selection guide

### Heavy-Duty



150

130

170

NuTree®

Stainless Steel

66

66

67

69

69

High-Impact,  
Surface or Flush MountHigh-Impact,  
Surface or Flush MountHigh-Impact,  
Surface or Flush Mount

Heavy-Duty

Heavy-Duty, Surface or  
Flush Mount

\$\$

\$\$

\$\$

\$\$\$

\$\$\$

Solid Colors,  
Woodgrains,  
MetallicsSolid Colors,  
Woodgrains,  
MetallicsSolid Colors,  
Woodgrains,  
Metallics

Black

#4 Satin Finish

4', 8', 9', 12'

4', 8', 9', 12'

4', 8', 9', 12'

8'

4', 8' std.,  
Custom heights available

3"

3"

3"

3 1/8"

1 1/2", 2", 3 1/2" std.,  
Custom wings available90° std. Custom  
angles available135° std. Custom  
angles available

90° Bullnose

90°

90°, 135° std. Custom  
angles availableuPVC Rigid Vinyl,  
G2 PVC-FreeuPVC Rigid Vinyl,  
G2 PVC-FreeuPVC Rigid Vinyl,  
G2 PVC-FreePost-consumer  
recycled HDPEStainless Steel, Type 430  
& 304 alloy (14, 16, or  
18 gauge)Retainer with  
HardwareRetainer with  
HardwareRetainer with  
Hardware

Fasteners

Screw-On,  
Cement-On

## retainer options



### Aluminum Retainer:

Provides support for traditional corner guards. There is also a two-piece aluminum retainer option that's perfect for custom angle conditions. Available for uPVC Rigid Vinyl and G2 PVC-Free Corner Guards.



### BluNose® Retainer:

Features a patented design that is nearly 4X stronger than aluminum retainers and 6X stronger than other vinyl retainers. uPVC Rigid Vinyl Corner Guards only.

**TOP  
CHOICE**



**PVC-Free Retainer:** Made with our G2 material, it's 3X stronger than other vinyl retainers. G2 PVC-Free Corner Guards only.

## corner guards

# high-impact

All high-impact surface mount models are also available in Flush Mount and Fire-Rated Flush Mount versions.



### 160 High Impact Surface Mount Corner Guard

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Heights:** 4', 8', 9', 12'

**Wing Sizes:** 2" - 90°

**Part Numbers:**

164 - 2" x 2" x 4', 90°

168 - 2" x 2" x 8', 90°

169 - 2" x 2" x 9', 90°

1612 - 2" x 2" x 12', 90°

\*Custom angles available.



### 150 High Impact Surface Mount Corner Guard

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Heights:** 4', 8', 9', 12'

**Wing Sizes:** 3" - 90°

**Part Numbers:**


154 - 3" x 3" x 4', 90°

158 - 3" x 3" x 8', 90°

159 - 3" x 3" x 9', 90°

1512 - 3" x 3" x 12', 90°

\*Custom angles available.



### 130 High Impact Surface Mount Corner Guard

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Heights:** 4', 8', 9', 12'

**Wing Sizes:** 3" - 135°

**Part Numbers:**

134 - 3" x 3" x 4', 135°

138 - 3" x 3" x 8', 135°

139 - 3" x 3" x 9', 135°

1312 - 3" x 3" x 12', 135°

\*Custom angles available.



160F/FR Flush Mount

2" x 2"

(51mm x 51mm)



150F/FR Flush Mount

3" x 3"

(76mm x 76mm)



130F/FR Flush Mount

3" x 3"

(76mm x 76mm)

Flush Mount Fire-Rated versions available in 1 and 2 hr rating.



## corner guards

## high-impact

All high-impact surface mount models are also available in Flush Mount and Fire-Rated Flush Mount versions.



### 170 High Impact Surface Mount Corner Guard

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Heights:** 4', 8', 9', 12'

**Wing Sizes:** 90° Bullnose - 3"

*Intended for substrates with 7/8" radius corner*

**Part Numbers:**

174 - 3" x 3" x 4', 90° Bullnose

178 - 3" x 3" x 8', 90° Bullnose

179 - 3" x 3" x 9', 90° Bullnose

1712 - 3" x 3" x 12', 90° Bullnose



### 160D Surface Mount Endwall

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Heights:** 4', 8', 9', 12'

**Wing Size:** 2" at each end with center strip

**Includes:**

(2) 160 Series Corner Guards

(1) .040" Rigid Vinyl End Wall Strip

Maximum end wall width 12"



### 140 Flush Mount Endwall

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Heights:** 4', 8', 9', 12'

*Specify width; not to exceed 12"*



### 170F/FR Flush Mount

3" x 3"

(76mm x 76mm)

G2 PVC-Free only available in 12' lengths.

## corner guards

### low-profile



#### Tape-on/ No Tape Corner Guard

**Materials:** uPVC  
Rigid Vinyl or G2  
PVC-Free  
**Colors:** Solid Colors,  
Woodgrains,  
Metallics, Palladium®  
Patterns (uPVC Rigid  
Vinyl Only)

**Wing Sizes:** 90° -  
¾", 1½" or 3", 90°  
Bullnose - 2", 135°  
- 1½" or 3"

**Heights:** 4", 8", 9", 12'

**Part Numbers:**

90°

3448 - 3/4" x 4'

**Installation:** Factory applied double sided  
foam tape

Custom angles available.

3496 - 3/4" x 8'

3409 - 3/4" x 9'

3412 - 3/4" x 12'

11248 - 1½" x 4'

11296 - 1½" x 8'

11209 - 1½" x 9'

11212 - 1½" x 12'

3348 - 3" x 4'

3396 - 3" x 8'

3309 - 3" x 9'

3312 - 3" x 12'

135°

248135 - 1½" x 4'

296135 - 1½" x 8'

209135 - 1½" x 9'

212135 - 1½" x 12'

348135 - 3" x 4'

396135 - 3" x 8'

309135 - 3" x 9'

312135 - 3" x 12'

#### Flexible Corner Guard

**Materials:** Flexible Vinyl

**Colors:** Solid Colors Only

**Heights:** 4", 8", 9", 12'

**Wing Sizes:** 90° and 135° - ¾" or 1½"

**Part Numbers:**

3448F - ¾" x ¾" x 4' - 90°

3496F - ¾" x ¾" x 8' - 90°

448135F - ¾" x ¾" x 4' - 135°

496135F - ¾" x ¾" x 8' - 135°

11248F - 1½" x 1½" x 4' - 90°

11296F - 1½" x 1½" x 8' - 90°

248135F - 1½" x 1½" x 4' - 135°

296135F - 1½" x 1½" x 8' - 135°

**Installation:** #535 Heavy Duty adhesive

**NOTE:** Flexible ± 10° from angle of corner  
guard.

#### Aluminum Corner Guard

**Heights:** 12'

**Wing Sizes:** 90° - ¾", 1½", ¾" or 1½"

**Part Numbers:**

DW-AL01212-CLR - ½" x ½" x 12'

DW-AL01212-BLA - ½" x ½" x 12'

DW-AL01212-BRZ - ½" x ½" x 12'

DW-AL03412-CLR - ¾" x ¾" x 12'

DW-AL03412-BLA - ¾" x ¾" x 12'

DW-AL03412-BRZ - ¾" x ¾" x 12'


DW-AL11212-CLR - 1½" x 1½" x 12'

DW-AL11212-BLA - 1½" x 1½" x 12'

DW-AL11212-BRZ - 1½" x 1½" x 12'

**Installation:** #535 Heavy Duty adhesive  
(PL-Premium)

\*Custom angles available.



1½" (38mm)  
or 3" (76mm)



2" Bullnose  
(51mm)

Black



Bronze



Clear anodized  
finish shown.

Specify, no tape when installing over VWC or difficult surfaces.

## corner guards

## heavy-duty



### Stainless Steel Surface Mount Corner Guard

**Materials:** Stainless Steel Type 430 or Type 304 alloy in 14, 16, 18 or 20 Gauge, #4 satin finish

**Heights:** 4', 8' std., custom to 12'

**Wing Sizes:** 90° - 1½", 2", 3½"

**Part Numbers:**

SAS-181124 - 1½" x 1½" x 4', ⅛" radius

SAS-181128 - 1½" x 1½" x 8', ⅛" radius

SAS-1824 - 2" x 2" x 4', ⅛" radius

SAS-1828 - 2" x 2" x 8', ⅛" radius

SAS-183124 - 3½" x 3½" x 4', ⅛" radius

SAS-183128 - 3½" x 3½" x 8', ⅛" radius

**Installation:** Cement-on or screw-on.

**NOTE:** Custom wing sizes, heights and angles available. 12' (3.66m) max height. Surface mount end wall protectors also available.

\*Flush Mount and End Wall Protector Available



Available in Flush Mount Custom Sizes.



### Heavy Duty Rubber Corner Guard

**Material:** EPDM Rubber

**Wing Size:** 90° - 3" or 3½"

**Part Number:**

DW-CGNR075-10 - 10" High, 90° 3" Wing

DW-RB0202120 - 10" High, 90° 3½" Wing

\*Custom sizes available.

Minimums may apply.



### NuTree® Corner Guard

**Material:** High Density Polyethylene (HDPE)

**Color:** Black only

**Height:** 4'

**Wing Size:** 90° - 3⅛"

**Part Number:**

NT-CG31508-11

**Installation:** Mounting hardware by others.

G2 PVC-Free only available in 12' lengths.

# Guard your walls, enhance your space.




## **Superior Durability**

Our Wall Guards offer superior durability by incorporating the use of impact bumpers behind the cover. Continuous aluminum retainers provide consistent and complete coverage across the wall.



## **Targeted Protection**

Wall Guards add an additional level of targeted protection for your walls to protect them from scrapes and dents that may be caused by wheelchairs, hospital beds and service carts.



## **Versatile Solutions**

We offer a diverse range of sizes and profiles to suit your facility's requirements, along with an array of colors and finishes to complement your walls.







	Chair Rails	500	1300	1400	1500
Page Number	74	75	75	75	75
Cost Index*	\$	\$	\$\$	\$	\$\$
Colors	Solid Colors, Woodgrains	Solid Colors	Solid Colors	Solid Colors, Woodgrains	Solid Colors, Woodgrains
Height	2"-3"	3"	4 1/16"	4"	5"
Wall Distance	1"	1"	1 7/8"	1"	1"
Retainer Options*	Continuous	Continuous	Continuous	Continuous or Abbreviated	Continuous or Abbreviated
Material Options	uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free
For Sale Online	✓	✓	✓	✓	✓
Up to 75% Recycled Material					

\*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

\*\*G2 PVC-Free available in Solid Colors only.

 [Visit inpro.com/WallGuard25](https://www.inpro.com/WallGuard25) for spec info + buy online!

# wall guard

## selection guide



1600	700	1800	30SS/31SS	50 Series	NuTree®
76	76	76	77	77	79
\$\$	\$\$	\$\$	\$\$\$	\$\$\$-\$\$\$\$	\$\$-\$\$\$
Solid Colors, Woodgrains	Solid Colors, Woodgrains	Solid Colors, Woodgrains	#4 Satin Finish	#4 Satin Finish	Black, Weather Wood, Dove Gray, Sandstone
6"	7 ¾"	8"	5 ½"	2"-6"	5½" - 9½"
1"	1"	1 ¼"	1 ½"	3¼" - 3½"	Various widths
Continuous or Abbreviated	Continuous or Abbreviated	Continuous or Abbreviated			
uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free	Stainless Steel Type 304	Stainless Steel Type 304 or Aluminum	HDPE
✓	✓	✓			✓
			✓	✓	✓

## retainer options



**Continuous:** Continuous aluminum provides consistent and complete coverage of wall. Standard on all vinyl wall guards.



**Abbreviated:** Infinity-I Series reduces cost of having a full retainer while providing the same performance.

## 2500 Chair Rail

**Height:** 2"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

2500 - Cover + aluminum retainer, 12' length

2501 - End Cap

2502 - Outside Corner

2503 - Inside Corner

2504 - Picture Frame Corner (Solid Colors Only)



## 2600 Chair Rail

**Height:** 3"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

2600 - Cover + aluminum retainer, 12' length

2601L - Left End Cap

2601R - Right End Cap

2602 - Outside Corner

2603 - Inside Corner



## 2700 Chair Rail

**Height:** 3"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

2700 - Cover + aluminum retainer, 12' length

2701L - Left End Cap

2701R - Right End Cap

2702 - Outside Corner

2703 - Inside Corner (Solid Colors Only)



## 200 Wall Guard

**Height:** 1 1/8"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors

**Part Numbers:**

200 - Cover + aluminum retainer, 12' length

201 - End Cap

202 - Outside Corner

202135 - 135° Outside Corner

207 - Inside Corner





## 500 Wall Guard

**Height:** 3"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors

**Part Numbers:**

500 - Cover + aluminum retainer, 12' length

502 - End Cap

503 - Outside Corner

507 - Inside Corner

501 - Optional ½" thick 2" dia. rubber spacer



## 1300 Wall Guard

**Height:** 4 ¼"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors

**Part Numbers:**

1300 - Cover + aluminum retainer, 12' length

1302 - End Cap

1303 - Outside Corner

1307 - Inside Corner

501 - Optional ½" thick x 2" dia. rubber spacer



## 1400 Wall Guard

**Height:** 4"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Retainer Options:** Continuous or Abbreviated

**Part Numbers:**


1400 - Cover, aluminum retainer + bumper, 12' length

1402 - End Cap

1403 - Outside Corner

1407 - Inside Corner

501 - Optional ½" thick x 2" dia. rubber spacer



## 1500 Wall Guard

**Height:** 5"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Retainer Options:** Continuous or Abbreviated

**Part Numbers:**

1500 - Cover, aluminum retainer + bumper, 12' length

1501L - Left End Cap

1501R - Right End Cap

1502 - Outside Corner

1503 - Inside Corner

1601 - Optional ½" thick 4" oval rubber spacer



## 1600 Wall Guard

**Height:** 6"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Retainer Options:** Continuous or Abbreviated

**Part Numbers:**

1600 - Cover, aluminum retainer + bumper, 12' length


1622 - End Cap

1623 - Outside Corner

1627 - Inside Corner

1606A - Optional Aluminum Splice

1601 - Optional ½" thick 4" oval rubber spacer



## 700 Wall Guard

**Height:** 7¾"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Retainer Options:** Continuous or Abbreviated

**Part Numbers:**

700 - Cover, aluminum retainer + bumper, 12' length

701 - End Cap

702 - Outside Corner

707 - Inside Corner (Solid Colors Only)

706A - Optional Aluminum Splice

1601 - Optional ½" thick 4" oval rubber spacer



## 1800 Wall Guard

**Height:** 8"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Retainer Options:** Continuous or Abbreviated

**Part Numbers:**

1800 - Cover, aluminum retainer + bumper, 12' length

1801L - Left End Cap

1801R - Right End Cap

1802 - Outside Corner

1803 - Inside Corner

706A - Aluminum Splice

1601 - Optional ½" thick 4" oval rubber spacer



## 21SS Stainless Steel Bumper Rail

**Height:** 2.5"

**Material:** Stainless Steel, Type 304 Alloy

**Part Numbers:**

21SS-304: 8' Length Profile

21SS-EC: End Cap

21SSRS: Retainer Support



## 30SS Wall Guard

**Height:** 5½"

**Material:** Stainless Steel, Type 430 and Type 304 alloy


**Part Numbers:**

30SS – Stainless Steel Wall Guard

30SSLEC – Stainless Steel Left End Cap

30SSREC – Stainless Steel Right End Cap

30SSRS – Stainless Steel Retainer Support



## 31SS Wall Guard

**Height:** 5½"

**Material:** Stainless Steel, Type 304 alloy

**Part Numbers:**

31SS – Stainless Steel Wall Guard

31SSLEC – Stainless Steel Left End Cap

31SSREC – Stainless Steel Right End Cap

30SSRS – Stainless Steel Retainer Support



## 50SS Wall Guard

**Height:** 4"

**Material:** Stainless Steel, Type 304 alloy

**Part Numbers:**

50SS/50SSH – Stainless Steel Wall Guard

50SSLR – Stainless Steel Left Return

50SSRR – Stainless Steel Right Return

50SSOC – Stainless Steel Outside Corner

50SSIC – Stainless Steel Inside Corner

50SSBK – Aluminum Bracket



## 51SS Wall Guard

**Height:** 4"

**Material:** Stainless Steel, Type 304 alloy

**Part Numbers:**

51SS – Stainless Steel Wall Guard


51SSLR – Stainless Steel Left Return

51SSRR – Stainless Steel Right Return

51SSOC – Stainless Steel Outside Corner

51SSIC – Stainless Steel Inside Corner

51SSBK – Aluminum Bracket



### NOTE:

316 Alloy Available

Stainless Steel Wall Guards come in factory pre-cut sections fabricated to field measurements and are non-returnable. Contains up to 75% post-consumer recycled material.


## 52SS Wall Guard

**Height:** 2"

**Material:** Stainless Steel, Type 304 alloy

**Part Numbers:**

52SS - Stainless Steel Wall Guard  
 52SSLR - Stainless Steel Left Return  
 52SSRR - Stainless Steel Right Return  
 52SSOC - Stainless Steel Outside Corner  
 52SSIC - Stainless Steel Inside Corner  
 52SSBK - Stainless Steel Bracket




## 53SS Wall Guard

**Height:** 3"

**Material:** Stainless Steel, Type 304 alloy

**Part Numbers:**

53SS - Stainless Steel Wall Guard  
 53SSRR - Stainless Steel Right Return  
 53SSLR - Stainless Steel Left Return  
 53SSIC - Stainless Steel Inside Corner  
 53SSOC - Stainless Steel Outside Corner  
 52SSBK - Stainless Steel Bracket




## 56SS Wall Guard

**Height:** 4" or 6"

**Material:** Stainless Steel, Type 304 alloy

**Part Numbers:**

56SSF - 4" High Stainless Steel Wall Guard  
 56SSB - 6" High Stainless Steel Wall Guard  
 56SSFLR - Stainless Steel Left Return  
 56SSFRR - Stainless Steel Right Return  
 56SSFOC - Stainless Steel Outside Corner  
 56SSFIC - Stainless Steel Inside Corner  
 51SSBK - Stainless Steel Bracket



## 50AA Wall Guard


**Height:** 4"

**Material:** Aluminum

**Part Numbers:**

50AA - Aluminum Wall Guard, 12'  
 50AALR - Aluminum Left Return  
 50AARR - Aluminum Right Return  
 50AAIC - Aluminum Inside Corner  
 50AAOC - Aluminum Outside Corner  
 50AABK - Aluminum Bracket

**NOTE:** Material field cut on-site





## NuTree® Wall Guard

**Thickness:** ½" – 1½"

**Height:** 5½" – 9½"

**Material:** High Density Polyethylene (HDPE)

**Colors:** Stock Colors - Black, Weather Wood, Dove Gray, Sandstone

**Part Numbers:**

NT- 140, ½" Thick x 8" High x 12' Length

NT- 518, 1" Thick x 5½" High x 12' Length

NT - 690, 1½" Thick x 5½" High x 12' Length

NT - 694, 1½" Thick x 7½" High x 12' Length

NT - 695, 1½" Thick x 9½" High x 12' Length


**NOTE:** Custom sizes, shapes and colors available with minimums. Hardware provided by others.

Black 11

Dove Gray  
13

Weather  
Wood 05

Sandstone  
04



## Palladium® Rubrail

**Height:** 4" – 24"

**Thickness:** .040" or .060"

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains, Metallics

**Part Numbers:**

R4 - .040" Thick, 4" to 24" High x 96" Length


R6 - .060" Thick, 4" to 24" High x 96" Length

Top/bottom edges factory beveled.

**Installation:** Install with Contact Adhesive, Inpro® Bond Adhesives or 3M Fastbond 30.

Width  
4" (102mm)-  
24" (610mm)

Thickness  
.040" (1mm) or  
.060" (1.5mm)



## High Impact Wall Base

**Height:** 4"

**Material:** uPVC Rigid Vinyl

**Part Numbers:**

WB4 - Wall Base 4" x 8' Length

WB4IC - Inside Corner

WB4LEC - Left End Cap

WB4OC - Outside Corner

WB4REC - Right End Cap



**NOTE:**

316 Alloy Available

Stainless Steel Wall Guards come in factory pre-cut sections fabricated to field measurements and are non-returnable. Contains up to 75% post-consumer recycled material.

# Let your walls **lend a hand.**



## **Accessibility**

We offer ADA and ANSI compliant handrails to meet health and safety requirements.



## **Ergonomic Design**

Provide your patients with a comfortable grip by choosing a flatter handrail design. Our 2000 Handrail's smooth, ergonomically designed surface makes mobility and independence easier for your patient.



## **Functional Aesthetics**

Mix and match different colors and finishes to dress up your handrails. The 3500 Series Handrail allows you to incorporate solid colors, woodgrains or real wood finishes on a round or oval top profile with a vinyl, wood or stainless steel bumper underneath.



**UW Cancer Center at ProHealth Care | Pewaukee, WI**  
HR910 Northern Hardwoods Handrail



	2000	900	900SS	1000
Page Number	84	84	85	85
Cost Index***	\$-\$	\$-\$	\$\$\$	\$
Colors	Solid Colors, Woodgrains	Solid Colors, Woodgrains	Stainless Steel	Solid Colors, Woodgrains
Height	1¼"	1⅛" - 1½" Oval/Round	1⅛" - 1½" Oval/Round	4⅝"
Wall Distance To Inside Face Of Handrail	1½"	1½"	1½"	1½"
Ligature-Resistant* Option				✓
Material Options	uPVC Rigid Vinyl, G2 PVC-Free, Stainless Steel (Brackets, Returns, Corners)	uPVC Rigid Vinyl, G2 PVC-Free**, Aluminum, Stainless Steel, Powder Coated Aluminum	Stainless Steel	uPVC Rigid Vinyl, G2 PVC-Free
For Sale Online	✓	✓		✓

\*This product does not guarantee patient safety.

\*\*G2 PVC-Free available in Solid Colors only.

\*\*\*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

Real Wood profiles are available, visit [inpro.com](http://inpro.com) to view the full offering.

 **Visit [inpro.com/Handrail25](http://inpro.com/Handrail25) for spec info + buy online!**



# handrail

## Selection Guide



800	1200	HR910	3100	3500
86	86	86	87	87
\$\$	\$\$\$	\$\$\$	\$\$-\$\$\$	\$\$-\$\$\$\$
Solid Colors, Woodgrains	Solid Colors	Northern Hardwoods®	Solid Colors, Woodgrains	Solid Colors, Woodgrains
5½"	6½"	1½" Round	5¾" - 6⅛" Oval/Round	7½" - 7⅞" Oval/Round
1½"	1½"	1½"	1½"	1½"
✓	✓		✓	
uPVC Rigid Vinyl, G2 PVC-Free	uPVC Rigid Vinyl, G2 PVC-Free	Solid Wood, Stainless Steel Brackets + Returns	uPVC Rigid Vinyl, G2 PVC-Free, Solid Wood	uPVC Rigid Vinyl, G2 PVC-Free, Stainless Steel, Powder Coated Aluminum, Solid Wood
✓	✓			

## specialty handrails



**900M Bariatric Handrail\***



**1000BH Handrail\***



**NEW! 1000 LED Lighted Handrail**

## 900M Handrail

**Material:** Powder-coated Aluminum

**Colors:** Standard or Matte Finish

**Part Numbers:**

900M - 1½" dia. Handrail with Powder Coat Finish, 12'

**NEW!** 909SS- MRND Stainless Steel Mounting Bracket

910SS - Stainless Steel Mounting Bracket

910MSS - Powder Coated Bracket

RET9SS - Stainless Steel Return

RET9PC - Powder Coated Return

CRN9SS - Stainless Steel

Inside/Outside Corner

CRN9PC - Powder Coated

Inside/Outside Corner



## 910 Round Handrail

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

910 - 1½" dia. round Handrail with Cover and Aluminum Retainer, 12' Length

908 - Vinyl Mounting Bracket

**NEW!** 909SS- MRND Stainless Steel Mounting Bracket

909SS - Stainless Steel Mounting Bracket

912 - Left Return

912SS - Stainless Steel Return

913 - Right Return

914 - Inside/Outside Corner 90°

914SS - Stainless Steel Inside/Outside Corner 90°



## 920 Oval Handrail

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

920 - 1½" dia. oval Handrail w/cover

+ Aluminum retainer, 12'

908 - Vinyl Mounting Bracket

**NEW!** 909SS- MRND Stainless Steel Mounting Bracket

909SS - Stainless Steel Mounting Bracket


922 - Left Return

922SS - Stainless Steel Return

923 - Right Return

924 - Inside/Outside Corner 90°

924SS - Stainless Steel Inside/Outside Corner 90°



## 2000 Handrail

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

2000 - 1¼" Height, 2 1/4" Grip Handrail with Cover and Aluminum Retainer, 12'

2001 - Vinyl Mounting Bracket

2001SS - Stainless Steel Mounting Bracket

2002 - Left Return

2003 - Right Return

2004 - Inside/Outside Corner 90°

2004135 - Inside/Outside Corner 135°

906 - Splice



## 900SSR Round Stainless Steel Handrail

**Material:** Type 304 Stainless Steel

**Finish:** #4 Brushed Finish

900SSR-FT - 1½" Round Stainless Steel Handrail (per LF)

**NEW!** 909SS-RND Stainless Steel Mounting Bracket

909SS-SDL - Stainless Steel Mounting Bracket

902SSR-RET - Stainless Steel Return

903SSR-COR - Stainless Steel Corner 90°

906SSR-SPL - Stainless Steel Splice\*

\*Pre-configured custom product

Not returnable.



## 900SSO Oval Stainless Steel Handrail

**Material:** Type 304 Stainless Steel

**Finish:** #4 Brushed Finish

**Part Numbers:**

900SSO-FT - 1⅝" oval Stainless Steel Handrail (per LF)

**NEW!** 909SS-RND Stainless Steel Mounting Bracket

909SS-SDL - Stainless Steel Mounting Bracket

902SSO-RET - Stainless Steel Oval Return

903SSO-COR - Stainless Steel Oval Corner 90°

906SSO-SPL - Stainless Steel Oval Splice\*

\*Pre-configured custom product.

Not returnable.



## 1000 Handrail

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

1000 - 4 5/16" Height Handrail with Cover and Aluminum Retainer, 12'

1001 - Handrail Mounting Bracket

1002 - Left Return

1003 - Right Return

1004 - Outside Corner 90°

1004135 - Outside Corner 135°

1005 - Inside Corner 90°

1005135 - Inside Corner 135°

804 - Splice



## 1000BH Ligature Resistant Handrail

**Material:** uPVC Rigid Vinyl, G2 PVC-Free

**Colors:** Solid Colors, Woodgrains



**Part Numbers:**

4 5/16" Height Handrail with Cover and Continuous Aluminum Retainer, 12'

1002BH - Left Return

1003BH - Right Return

804 - Splice



## 800 Handrail

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

800 - 5½" Height with Cover and

Aluminum Retainer, 12'

1001 - Mounting Bracket

802 - Return

803 - Outside Corner


803135 - 135° Outside Corner

804 - Splice

805 - Inside Corner

805135 - 135° Inside Corner

CBRKLF - Continuous Mounting Bracket



## 1200 Handrail

**Material:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors

**Part Numbers:**

1200 - 6¼" Height with Cover and

Aluminum Retainer, 12'

1001 - Mounting Bracket

1202 - Left Return

1203 - Right Return

1204 - Outside Corner 90°

1204135 - Outside Corner 135°

1205 - Inside Corner 90°

1205135 - Inside Corner 135°

804 - Splice

CBRKLF - Continuous Mounting Bracket



## NEW! Wood Lean Rail

**Material:** Solid Wood

**Stain:** Northern Hardwoods®

**Part Numbers:**

LR2 - 3.5" Maple rail and mounting clips

LR2LEC - Left Maple End Cap

LR2REC - Right Maple End Cap



## HR910 Wood Handrail

**Material:** Solid Wood

**Stain:** Northern Hardwoods®

**Part Numbers:**

HR910M - 1¾" Height with 1½"


Grip, Round Maple

**NEW!** 909SS-MRND Bracket

910SS - Stainless Steel Bracket

RETS9SS - Stainless Steel Return

CRN9SS - Stainless Steel Corner





## 3100 Series Handrail

**Size:** 6 1/8" overall height, 1 1/2" grip top rail with 4" bumper rail - 12' length


**Material:** uPVC Rigid Vinyl, G2 PVC-Free or Solid Wood

(Top rail only)

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

- 3110 - Round - Vinyl or G2 Top Rail
- 3112 - Round - Left Return
- 3113 - Round - Right Return
- 3114 - Round - Outside Corner 90°
- 3115 - Round - Inside Corner 90°
- 3120 - Round Wood Top Rail
- 3130 - Oval - Vinyl or G2 Top Rail
- 3132 - Oval - Left Return
- 3133 - Oval - Right Return
- 3134 - Oval - Outside Corner 90°
- 3135 - Oval - Inside Corner 90°
- 804 - Splice
- 1001 - Mounting Bracket



**Finish Options** (select top and bottom rail and add as suffix to part number):

VV - Vinyl Top/Vinyl Bottom

FVV - Woodgrain Top/Vinyl Bottom

VFV - Vinyl Top/Woodgrain Bottom

FVHV - Woodgrain Top/Woodgrain Bottom

## 3500 Series Handrail


**Size:** 7 7/8" overall height, 1 1/2" grip top rail with 5" bumper rail - 12' length

**Material:** uPVC Rigid Vinyl, G2 PVC-Free, Solid Wood (top rail only), Stainless Steel

**Colors:** Solid Colors, Woodgrains, Metallics

**Part Numbers:**

- 3510 - Round - Vinyl or G2 Top Rail
- 3520 - Round - Wood Top Rail
- 3512 - Round - Left Return
- 3513 - Round - Right Return
- 3514 - Round - Outside Corner 90°
- 3515 - Round - Inside Corner 90°
- 3530 - Oval - Vinyl or G2 Top Rail
- 3532 - Oval - Left Return
- 3533 - Oval - Right Return
- 3534 - Oval - Outside Corner 90°
- 3535 - Oval - Inside Corner 90°
- 804 - Splice
- 3501 - Stainless Steel Mounting Stem with plastic Bracket
- 3501D Dual Bracket
- 3511 - Dual Bracket
- NEW!** 3501D-FP Dual Bracket



**Finish options** (select top and bottom rail and add as suffix to part number):

VV - Vinyl Top/Vinyl Bottom

FVV - Woodgrain Top/Vinyl Bottom

VFV - Vinyl Top/Woodgrain Bottom

FVHV - Woodgrain Top/Woodgrain Bottom

# NEW!

# 1000 LED Handrail

## Guiding You with Style and Safety.

The 1000 LED Lighted Handrail is available in standard 4000K, with warmer and cooler options, and is hardwired, programmable, and dimmable. The LED light is protected by a clear PVC lens. It meets ADA and ANSI safety codes and has been tested to meet GREENGUARD® Children & School chemical emissions levels.

### Features:

- Fully Integrated, UL Listed System
- Compatible with dimmers, timers, and motion sensors
- Available in solid colors and woodgrain finishes
- Various light temperatures and colors available

### Specs:

- 4-5/16" (110mm) height
- .080" (2mm) vinyl cover
- .080" (2mm) continuous aluminum retainer
- 1-5/8" (41mm) grip



 Visit [inpro.com/ledhandrail25](https://inpro.com/ledhandrail25) for spec info!



**Labor + Delivery | Waukesha, WI**  
1000 LED Handrail

# Palladium<sup>®</sup> Doors

Durable doors to handle the toughest environments! Whether you're pushing, pulling, slamming or knocking, Palladium<sup>®</sup> doors offer unmatched protection. Other doors on the market can't compare to our edge-option availability and the reinforcement of our Palladium<sup>®</sup> Rigid Sheet.



## Palladium Flush Edge

All sides are clad in Palladium<sup>®</sup> Rigid Sheet: front and back, side to side.

- Available in non-rated, 20-, 45-, 60- and 90-minute fire rated constructions.
- .040" rigid sheet cladding with flush vinyl edge style.
- **Wood Core Material Choices:**  
All standard core constructions available
- **Cladding Material Choices:**  
uPVC Rigid Vinyl, G2 PVC-Free
- **Color Choices:**  
Solid Colors, Woodgrains, Patterns, Metallics (uPVC for solid colors only)



## Palladium<sup>®</sup> With Removal Door Edge - Vinyl

Replace the edge that receives the most damage without removing the door.

Unlike competitors' edges, our removable edge is designed to fit behind a standard doorstop making the edge visible on only one side when the door is closed.

- Available in non-rated, 20-, 45-, 60- and 90-minute fire rated constructions.
- .040" rigid sheet cladding with removable vinyl edge style.
- **Wood Core Material Choices:**  
All standard core constructions available
- **Cladding Material Choices:**  
uPVC Rigid Vinyl, G2 PVC-Free
- **Color Choices:**  
Solid Colors, Woodgrains, Patterns, Metallics (uPVC for solid colors only)





Hospital Corridor

# Kickplates

Doors are relentlessly pushed, banged and kicked open. Don't let heavy traffic lead to damage. Keep your doors in pristine condition with Inpro Kickplates.



## Palladium® Kickplate

**Size:** Specify height and width

**Installation:** Factory applied peel and stick backing or contact cement

K4 - .040" (1mm) Thick  
K6 - .060" (1.5mm) Thick



## Palladium® Model 10 Kickplate

K41 - .040" (1mm) Thick  
K61 - .060" (1.5mm) Thick

\*Available with bottom panel only



## Palladium® Model 20 Kickplate

K42 - .040" (1mm) Thick  
K62 - .060" (1.5mm) Thick

\*Available with bottom panel only



## Palladium® Model 30 Kickplate

K43 - .040" (1mm) Thick  
K63 - .060" (1.5mm) Thick



## Stainless Steel Kickplate

**Size:** Specify height and width

**Finish:** #4 Satin

**Installation:** Screw-on or contact cement

SS-KP - Type 430 or 304, 16 gauge

SS-KP - Type 430 or 304, 16 gauge with L-bend

\*Kickplates are custom products and non-returnable  
Palladium® Kickplates available with L-bend option



**Hospital Corridor**

# Door Frame + Edge Protection

Protect door frames from damage with Door Frame Guards and Edge Protectors. Pieces can be customized to ensure a perfect fit and lasting frame protection.



## Palladium® Door Edge protector

**Thickness:** .040"

**Standard Heights:** 36", 96"

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

415 - 36" H, L-shape, with adhesive  
 415N - 36" H, L-shape, no adhesive  
 41596 - 96" H, L-shape, with adhesive  
 41596N - 96" H, L-shape, no adhesive  
 416TC - 36" H, textured U-shape, cement-on  
 416TS - 36" H, textured U-shape, screw-on  
 41696TC - 96" H, textured U-shape, cement-on  
 41696TS - 96" H, textured U-shape, screw-on



## Stainless Steel Door Edge Protector

**Standard Height:** 38"

**Standard Gauge:** 16


**Materials:** Type 430

**Installation:** Cement-on or screw-on.

**Part Numbers:**

190 - 38" height, L-shaped, 90°  
 290 - 38" height, U-shaped, 90°

**NOTE:** Custom sizes, gauges and alloys available.



## Custom Door Frame Guards

**Thickness:** .040", .060"

**Standard Heights:** 36", 48", 84"

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free

**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

400C - 36" height, up to 11½" wide  
 399C - 36" height, over 11½" wide  
 398C - 48" height, up to 11½" wide  
 397C - 48" height, over 11½" wide  
 396C - 84" height, over 11½" wide  
 395C - 84" height, up to 11½" wide

**Installation:** Contact cement

**NOTE:** Custom product, not returnable. Designed for metal frames only.



## 1700 Door Frame Guards

**Standard Heights:** 36", 48", 96"

**Materials:** uPVC Rigid Vinyl or G2 PVC-Free


**Colors:** Solid Colors, Woodgrains

**Part Numbers:**

1736 - 3" x 3" x 36"  
 1748 - 3" x 3" x 48"  
 1796 - 3" x 3" x 96"

**NOTE:** Includes cover, aluminum retainer, top/bottom closure caps and hardware.

## Standard Solid Colors




✓ Indicates our best selling colors/patterns. Check with your sales representative for availability as inventory levels are typically higher with such colors. Stock levels change daily and certain limitations and order sizes may apply.

□ Order FREE samples at [inpro.com/DWColors25](http://inpro.com/DWColors25) for a more accurate color representation.




## Patterns

More colorways in select patterns are available at [inpro.com/patterns25](http://inpro.com/patterns25)



## Metallics



## Woodgrains



**P** Palladium® Patterns **A** Aspex® Patterns

**\*** Finishes available for Palladium® Rigid Sheet, Tape-On Corner Guards, and Wall Panels only. To view color offerings for specific products visit [Inpro.com](http://Inpro.com)

# elevator interiors

## **extremely durable**

Our elevator cab interiors feature panels that are fully wrapped in Palladium® Rigid Sheet, making them extremely durable and chip-resistant.

## **quick installation**

Reduce elevator downtime with our innovative interiors. Featuring a patented interlocking fastening system and a lightweight ceiling option, installation can occur in just one day or less.

## **custom design capabilities**

Design the look you want without compromising durability. Have your logo or unique image printed on your panels to enhance your brand.



**Ascension St. Vincent Campus | Evansville, IN**  
Palladium® Woodgrain Panels, Stainless Steel Lower Panels



# Elevate Your **Elevator Interiors.**

Inpro's award-winning elevator interiors offer seamless installation with a patented aluminum clip system, supported by elevator experts for finish selection and design. Our durable cab panels, wrapped in Palladium® Rigid Vinyl Sheet, ensure long-term performance. Customization is available through Aspex® Imagery, enabling the integration of custom graphics or logos directly into the panels.



**Hoover Dam Visitor Center | Boulder City, NV**

Aspex® Printed Wall Protection with Stainless Steel Handrails, Toe Kicks and Trim





# Elevator Interiors

With over 40 years of experience protecting buildings, we are interior protection experts that have taken our proven products into one of the most heavily used areas of a building - elevators. As a provider for award-winning elevator interior solutions, we offer patented products to keep your cabs looking great. Combine that with our simple installation process and you'll feel at ease knowing your elevator interiors will make an impact...and take an impact.



## 14270 | Custom Elevator Cab



**Material:** .040" (1mm) Palladium® Rigid Sheet factory bonded to MDF Board or NAUF Particleboard Core



**Thickness:** ½" nominal (12.7 mm)



**Backing:** .040" (1mm) black pre-consumer recycled plastic



**Fire Safety:** ASTM E-84; ASME 17-2016; NFPA 286



**Chemical Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** ASTM G-21 and ASTM G-22



**Impact Resistance:** ASTM F 476-84



**Indoor Air:** GREENGUARD® Certified, GREENGUARD® Product Emission Standard for Children & Schools



**Environmental:** No phthalates, no added urea-formaldehyde



**Handrail Safety Standards:** Regulatory compliance with ASME A17.1 and ICC A117.1



**Colors + Finishes:** Standard Solid Colors, Woodgrains, Select Patterns, Metallics, Ricochet® Flexible Wall Protection, Aspex® Printed Wall Protection, Stainless Steel, Aluminum







**Sheraton Grand at Wild Horse Pass | Phoenix, AZ**

Aspex® Elevator Interiors with American Teak Palladium® Panel, Prestige Gold Trim





# fully wrapped panels **made to last.**

Our exclusive fully wrapped panels exceed others in the industry because of their extreme durability. That's because they are fabricated using our Palladium® Rigid Vinyl Sheet, developed to withstand the intensity of daily traffic which makes them more durable than competing plastic laminate (PLAM) products. Since the edge is integral to the panel, it is highly resistant to damage.



# designed with installation in mind.

## patented interlocking system

Our cabs are engineered with a patented interlocking factory-installed aluminum clip fastening system, making the panels easy to install saving you elevator downtime! Fasteners and seams are concealed with a reveal strip that prevents tampering while enhancing the overall aesthetic.

- Ceilings are installed first to increase light in the cab and minimize potential damage to the panels.
- Interlocking clip system installs from the bottom up.
- Fasten the panel and reveal trim for perfect spacing.
- Completing installation is as easy as securing the frieze to the last panel.



**Demountable Stainless  
Steel Top Frieze**



**Proprietary Interlocking  
Clip System**




**Ventilated Toe Kick**



US Patent 9,745,172

# choose your **cab design.**



**Hercules™ Cab Design**

Top Panels in Palladium® Wabash Woodgrain  
Bottom Panels in 5WL Stainless Steel

## standard cab designs

Choose from these standard designs and customize with different colors, finishes and images.



### apollo™

Vertical + horizontal panels



### columba™

Horizontal panels



### corvus™

Segmented vertical panels



### hercules™

Horizontal panels with stainless steel handrail backer



### mercury™

Horizontal panels in varying widths



### orion™

Vertical upper panels with horizontal lower panels



### titan™

Vertical panels with stainless steel handrail backer



### vela™

Vertical upper panels, horizontal lower panels with stainless steel handrail backer



### zenith™

Vertical panels

# make it **your own.** material options

## **palladium® rigid vinyl wall protection**

Mix and match solid colors, classic woodgrains, patterns and metallics to create the perfect look.



## **metallic palladium® rigid sheet**

Use metallic finishes to give your cab the sleek and stunning look it deserves.



## **aspex® printed wall protection**

Your image. Your branding. Your statement. Aspex® Printed Wall Protection gives you total design freedom while protecting your walls from the toughest damage.



## **stainless steel**

Provides industrial strength protection with a brushed, high-end look. Clad your entire cab or just the bottom half to take the brunt of the damage. Choose from a smooth brushed #4 or textured finish options.



## **ricochet® flexible wall protection**


Give your elevators a high-end, textured look while expanding their longevity. Ricochet® combines the look and feel of premium wallcovering with the durability of rigid wall protection.





# build your cab.


use our free online  
elevator cab builder!



# bring your **vision to life.**

Imagine transforming your elevator interiors into a canvas that tells your brand's story. At Inpro, we provide advanced renderings that offer a stunningly realistic preview of your project, allowing you to see your creative vision come to life from the start. Our custom elevator panels combine beauty and durability, ensuring your imagery remains vibrant over time. Whether you envision sleek modern designs or intricate artistic themes, our renderings help you make informed decisions early on.

**Project  
Rendering**





**End Result**



# Ceiling Materials + Lighting



## Aluminum Ceiling

Our aluminum ceiling is more than 60% lighter than stainless steel. This option comes in a clear anodized finish to pair with many different wall panel offerings.



## Stainless Steel Ceiling

Stainless steel offers a perfect complement to a variety of elevator interior panel types. Its sleek, brushed finish pairs well with solid colors, woodgrains and metallics.

# Ceilings + Lighting Configurations



## Pan Ceiling

Decrease the amount of seams with our pan ceiling systems. System is configured with 1, 2, or 3 pans based on cab size and dimensions.



## Island Ceiling

Multi-Panel Stainless Steel Ceiling configured in 4, 6, or 9 sections.



## Pan Ceiling with LED Perimeter Lighting


Stainless Steel Panels configured with 1, 2, or 3 sections with linear LED lights around the outside perimeter of the ceiling.





**IBM Research Triangle Park | RTP, NC**  
Brushed Stainless Steel Finish with 2" Solid Flat Handrails

# Mounting Options



## Top Mount Hardware

Top mount hardware creates the look of a floating ceiling while maintaining stability and reducing hardware sight lines.



## Side Mount Hardware

Side mount hardware system allows for installation from inside the cab, reducing downtime while avoiding visible hardware.


# Handrails + Crash Rails

Available in Standard #4 Brushed Stainless Steel with choice of straight or turned ends.  
Contact a sales representative for more finish options.



### Solid Flat

Widths: 2", 3", 4", 6", 8", 10", 12"



### Round

Diameters: 1½", 2"



### Vault

Widths: 1½"

*\*Available with Flat-Top or Bullet-Top Spacers*

**Please specify straight or turned ends.**



**Straight end**



**Turned end**





Atrium Health  
Levine Children's

**Levine Children's Hospital | Charlotte, NC**

Palladium® Woodgrain, Aspex® Printed Wall Protection and Ricochet® Flexible Wall Protection Panel

## Standard Solid Colors

Designer White   0101	Feather   0238	White Sand   0103	Eggshell   0111	Clam Shell   0154	Monterey   0110	Pebble Gray   0387	Gala   0380	Silver   0105
Antique White   0104	Whisper   0243	Oatmeal   0239	Chino   0258	Burlap   0252	Ivory   0108	Sprout   0352	Sea Salt   0279	Graystone   0151
Popcorn   0274	Crème Brulee   0260	Light Beige   0109	Sandstone   0153	Biscotti   0250	Meadow   0382	Seagrass   0230	Porcelain Blue   0379	Sharkskin   0350
Linen   0232	Wheat Field   0285	Dover White   0112	Taupe   0113	Pyramid   0275	Veranda   0231	Morning Sage   0373	Clear Blue   0390	Dove Gray   0106
Beeswax   0249	Chamois   0234	Cashew   0240	Haze   0114	Wood Drift   0116	Olive   0297	Deco Blue   0391	Serenity   0166	Elm Gray   0388
Rattan   0276	Beige   0117	Sonora   0282	Pepperdust   0119	Khaki Brown   0118	Island Blue   0381	Crystal Jade   0187	Blue Mist   0324	Fairy Dust   0389
Palomino   0270	Camelback   0253	Penny   0235	Slate   0237	Sand Dune   0278	Cactus   0242	Buoyant Blue   0132	Skylight   0189	Shiprock   0280
Caramel   0255	Moccasin   0266	Cinnabar   0257	River Rock   0351	Monsoon   0378	English Green   0125	Periwinkle   0272	Cadet Blue   0134	Sterling   0283
Saddle   0121	Truffle   0284	Chestnut   0288	Dark Brown   0122	Hickory   0377	Brittany Blue   0135	Point Blue   0165	Storm Cloud   0372	Pewter Gray   0107
French Roast   0370	Merlot   0186	Cardinal   0236	Castle   0256	Black   0152				

Indicates our best selling colors/patterns. Check with your sales representative for availability as inventory levels are typically higher with such colors. Stock levels change daily and certain limitations and order sizes may apply.




## Patterns



Wisp | 5E012



Boulder | 5E019




Fiber Stone | 5E029




Fiber Fossil | 5E028



Brushed #4



5WL Stainless Steel




Linen

## Stainless Steel Finishes



Brushed Silver | 5E025




Brushed Nickel | 5E026




Smooth Bronze | 5E027



White Gold | 5M001



Antique Bronze | 5M002



Antique Moss | 5M003



Antique Nickel | 5M004




Platinum | 5M005




Soft Gold | 5M006



Tungsten | 5M007



Onyx | 5M008




Midnight Blue | 5M009



Pearl White | 5M010

## Metallics



Nature Maple | 0531



Sugar Maple | 0548




Santa Rosa Oak | 0532



Beechnut | 0539




Applewood | 0537



Chatsworth Oak | 0533



Trestle Nut | 5E032




American Teak | 0553



Honey Nut | 0535



Amber Cherry | 0547



Boston Cherry | 0534




Shaker Cherry | 0549



Washed Walnut | 5E030



Beechwood | 0559




Hazelwood | 0536



Coffee Bean | 0546



American Walnut | 0555



Barrel Oak | 0527



Smoked Stratus | 0565



Ashwood Plank | 0557



Crown Cherry | 0545



Urbanwood | 5E080



Wabash | 5E081



Persian Walnut | 5E082

## Woodgrains

 Order FREE samples at [inpro.com/DWColors25](http://inpro.com/DWColors25) for a more accurate color representation.

# commercial **window treatments**

## **from idea to install**

With a wide variety of fabrics and styles as well as in-house expertise, we support your project start to finish.

## **manufactured with quality in the U.S.A.**

Our domestic in-house fabrication and manufacturing ensures that your shades are top quality, on time and on budget.

## **exclusive wt shade® solutions**

We offer proprietary shading technology such as our patented SoloMount® bracket to ensure a worry-free installation.









# Top Quality Shades **Manufactured in the U.S.A.**

At our production facility in Charlotte, NC, our team expertly manufactures quality shades to meet your project's specific needs. Quality and care is our number one priority, which is why we offer a 25 year warranty.





Want commercial roller shades made easy? Watch this!



# manual clutch shades

Our highly adaptable manual clutch shade system can be customized to fit a variety of dimensions and applications. The bead chain control provides a smooth, reliable operation. Choose solar shade fabrics for a reliable energy-saving solution.



- Efficient + easy to install
- Featuring our proprietary, all-in-one SoloMount® Brackets: Ceiling, Wall or Jamb mount capable allowing easy, on-the-fly adjustments
- Ideal for new construction or remodels, with fascias that can be added at any time
- Available in single and dual shade for flexibility in light control + privacy
- Wide variety of hardware + accessories
- ANSI/WCMA compliant, meeting the latest safety standards




*Shown with Standard Tension Device*

Our optional Chain Guard offers added safety for manual clutch shades, and doesn't require attachment to walls or mullions.

- Clear plastic shield covers chain loop and leaves no more than 8" of exposed chain for added safety
- Use with traditional bead stops, or continuous loop chains in Stainless Steel, White or Black Plastic in 4 standard sizes
- ANSI/WCMA compliant, meeting the latest safety standards
- Spring Assist Mechanism (SAM) can be added for increased ease of operating shade



*Shown with Optional Chain Guard*

		<b>WARNING</b>	
		<b>ADVERTENCIA</b>	
<b>Window Blind Cord Strangulation Risk</b> Window blinds with a damaged or loose tension device or retractable cord that fails to fully retract pose a strangulation risk to children. To avoid this potential strangulation risk, consider purchasing cordless products or products with inaccessible cords.			<b>Elimina el riesgo de estrangulamiento del cordón de la persiana</b> Las persianas con dispositivos de tensión suelto, dañado o con un cordón retráctil cuyo mecanismo se encuentre deteriorado, representa un riesgo de estrangulación para los niños; por ello prefiera comprar productos con sistemas inalámbricos o con cordones de difícil acceso.

# manual cordless shades

Our CF Cordless Shade is a manual solution to eliminate a potential cord hazard, without the higher cost of a motorized system. Adjust and set the shade with the touch of a finger with our spring roller system. User-friendly and easy to maintain, it's ideal for daycares, patient rooms, dormitories and more. Optional side channels are available for added privacy.



- User-friendly fingertip control
- Cordless operation
- Innovative sleek design
- Available in single and dual shade for flexibility in light control and privacy
- Optional side channel provides additional light blocking and stability
- Custom printed shades available



**Roller Shades**




# motorized shades

Our motorized and automated shade systems are the perfect blend of fit, form and function. Stylish and easy to operate, these shades are expertly engineered for simple, sophisticated solar control.



- Variety of motor options to accommodate multiple applications
- Battery, Low Voltage, + Line Voltage
- Wireless RTS, Zigbee® 3.0, Wired + Digital
- Scalable to meet the specific needs of the job
- Easily integrated with most building management + automation systems
- Can be installed as a stand-alone solution using local controls + sensors



**Roller Shades**



# specialty shades

We offer innovative solutions to meet your project's unique shading needs.



## **WebbLok® Shade Systems**

Designed for tamper-resistance\* and durability, the cordless shades have pre-set leveling stops and heavy duty security boxes that provide an operable and attractive tamper-resistant\* window treatment solution

\*This product does not guarantee patient safety



## **WebbLok® Secured Panels**

Tamper-resistant\* non-operable fabric panel blocks unwanted heat or glare



## **Wrapped Frame Panels**

Non-operable fabric panel secured to an aluminum frame




## **Fixed Shades**

An unframed, non-operable fabric panel


# accessories

From complete shading systems to add-on accessories, Inpro® WT has the perfect solutions for your next project.


## fascia




## hembar options




## light blocking accessories



## guide systems





# shading enclosure options



## Pocket

5" x 5" for single shades


White aluminum only  
End caps available



## Pocket


6" x 9" for dual shades

Mill finish Galvanized steel





## Bottom Closure

White aluminum only | Available sizes: 2", 3", 5"



## Closure Mount



Roller Shades

# wt shade® fabrics

**Full line of Mermet® + Phifer® fabrics also available!**

Fabrics are NFPA 701 fire rated.

## WT 24X Screen

**Openness:** 1%, 3%, 5%  
**Composition:** 78% PVC, 22% Polyester  
**Pattern:** 2x2 Basketweave

## WT 25X Screen


**Openness:** <1%, 3%  
**Composition:** 78% PVC, 22% Polyester  
**Pattern:** 2x2 Basketweave

## WT 35X Screen


**Openness:** 1%, 3%, 5%  
**Composition:** 75% PVC, 25% Polyester  
**Pattern:** Twill Weave, Reversible



-16 White/Haze



-18 White/Grey



-82 Dark Grey



-10 White



-57 French Roast




-10 White



-89 Grey/Black




-10 White



-12 White/Sand



-12 White Sand



-89 Grey/Black



-12 White/Sand



-90 Black



-50 Bronze



-90 Black



-18 White/Grey



-90 Black



-80 Grey



-84 Light Grey



-38 Sand Mocha

GG GREENGUARD® PB Lead-Free PVC - Free OEKO - TEX WL WebbLok® Compatible ✓ Popular Choice G21 Fungal Resistant

\*\*Colors may vary. For a more accurate color selection, please request FREE samples at [inpro-shades.com](http://inpro-shades.com) HPD HPD Available



# wt shade® fabrics

Full line of Mermet® + Phifer® fabrics also available!


Fabrics are NFPA 701 fire rated.

## WT 441 Screen

**Openness:** <1%

**Composition:** 75% PVC, 25% Polyester

**Pattern:** Horizontal Tight Weave



-18 White/Grey

## WT 840 Screen

**Openness:** 1%

**Composition:** 100% Polyester

**Pattern:** Translucent



-05 Sand


## WT Custom Printed

Available on select


Blackout or Screen Fabrics




-10 White




-12 White/Sand



-04 Ivory



-80 Grey



-10 White

700-P

**Openness:** 0%

**Composition:** 75% PVC, 25% Fiberglass

740-P

**Openness:** 0%

**Composition:** Non-PVC, 100% Polyester with White Acrylic Coated Back

251-P

**Openness:** <1%

**Composition:** 75% PVC, 25% Polyester

253-P

**Openness:** 3%

**Composition:** 75% PVC, 25% Polyester

# wt shade® fabrics

**Full line of Mermet® + Phifer® fabrics also available!**

Fabrics are NFPA 701 fire rated.

## WT 700 Blackout

Openness: 0%

Composition: 75% PVC, 25% Fiberglass

## WT 762 Blackout

Openness: 0%

Composition: 100% Polyester with White Back

## WT 770GC Blackout

Openness: 0%

Composition: 100% Polyester with Grey Acrylic Coated Back



GG GREENGUARD® PB Lead-Free PVC - Free OEKO - TEX WL WebbLok® Compatible ✓ Popular Choice G21 Fungal Resistant

\*\*Colors may vary. For a more accurate color selection, please request FREE samples at [inpro-shades.com](http://inpro-shades.com) HPD HPD Available

# wt shade® fabrics


Full line of **Mermet®** + **PhiFer®** fabrics also available!

Fabrics are NFPA 701 fire rated.

## WT 772 Blackout

Openness: 0%


Composition: 100% Polyester  
with White Acrylic Coated Back



## WT 784 Blackout

Openness: 0%


Composition: 100% Polyester  
with White Acrylic Coated Back



## WT 245B Blackout

Openness: 0%


Composition: 22% Polyester/ 78% PVC  
with White Acrylic Coating



-84 Light Grey

-80 Grey

-12 White/Sand



-04 Ivory




-05 Sand



-05 Sand




-90 Black



-10 White



-57 French Roast



-10 White



-10 White



-16 White/Haze



-89 Grey/Black



-18 White/Grey



-90 Black



-38 Sand/Mocha

# wt shade® fabrics

**Full line of Mermet® + Phifer® fabrics also available!**

Fabrics are NFPA 701 fire rated.

## WT 150 Sheer

Openness: 18%

Composition: 100% Polyester

## WT 160 Sheer

Openness: 18%

Composition: 100% Polyester

## WT 170 Sheer

Openness: 17%

Composition: 100% Polyester



GG GREENGUARD® PB Lead-Free PVC PVC-Free OEKO-TEX WL WebbLok® Compatible ✓ Popular Choice G21 Fungal Resistant

\*\*Colors may vary. For a more accurate color selection, please request FREE samples at [inpro-shades.com](http://inpro-shades.com) HPD HPD Available



# wt shade® fabrics

**Full line of Mermet® + Phifer® fabrics also available!**

Fabrics are NFPA 701 fire rated.

## WT 180 Sheer

Openness: 17%

Composition: 100% Polyester




-90 Black



-05 Sand



-80 Grey



-10 White

# privacy systems

## **design forward**

From innovative track systems to sophisticated new patterns and custom options, our design team is always working to provide cubicle solutions that are functional and designer friendly.

## **expert consultations**

Our team of experts will help you find the perfect privacy system tailored to your facility and budget. From fabrics that reduce maintenance to track systems that easily cut and bend on-site, and in-house manufactured drapery and top treatments, we have the best solutions for your next project.

## **tailored to you**

We have multiple production facilities across the country ready to make products to your specifications. What does that mean for you? Exclusive designs on high-quality products made on time and in the USA.

## **Page index:**

Page  
136

**Cubicle  
Tracks**

Page  
146

**Shower  
Curtains +  
Accessories**

Page  
148

**Cubicle  
Curtains**

Page  
160

**Fabrics**

Page  
180

**Drapery +  
Top Treatments**





**Medical Center | Sheboygan, WI**  
Shield-HH Cubicle Curtains in Follow Me, Cream City



# Design Forward


## **Cubicle Track + Curtains**

We ensure your facility's most essential privacy needs by making innovative solutions to ensure people feel comfortable. Our cutting-edge cubicle curtain and track systems are designed for safety, comfort and privacy for the people in your building. From expert advisors here to help find the perfect system for your space, to production facilities across the USA ready to make products to your specifications - we've got you covered!









**Scan to access  
easy ordering!**

formatrac®



Quiet + flexible to  
accommodate virtually any  
design or radius bend.

ultra cube®



Engineered for effortless  
movement in a  
heavy-duty system.

Page Number	139	140
Cost Index*	\$\$\$	\$\$\$
Material	Aluminum, ABS (non-PVC)	Aluminum
Color	White	Clear anodized aluminum or white baked acrylic enamel
Size	8', 16', 40', 105' (2.44m, 4.88m, 12.19m, 32m)	7', 8', 9', 12' (2.13m, 2.44m, 2.74m, 3.66m)
Factory Bend Available	Bend in field	✓
Custom Bend Available	Bend in field	✓
IV Compatible		✓
Suspended Track Compatible		
Grid Clip Compatible	✓	✓
Acoustic/Reduced Noise	✓	
Recycled Content	✓	✓
Buy Online	✓	✓

\*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

# cubicle track

## selection guide

### whisper cube®



Reduces noise during curtain movement.

### optitrac®



**BEST  
SELLER**

Classic track system

### nanotrac®



Sleek, compact design ideal for narrow profiles.

141

\$\$

PVC

White

7', 8', 9', 12'  
(2.13m, 2.44m, 2.74m, 3.66m)



142

\$\$

Aluminum

Clear anodized aluminum or  
white baked acrylic enamel

7', 8', 9', 12'  
(2.13m, 2.44m, 2.74m, 3.66m)



143

\$

Aluminum

White baked acrylic enamel

8' (2.44m)



Visit [inpro.com/track25](https://inpro.com/track25) to view our complete offering of track systems + accessories.

Formatrac<sup>®</sup>

# Bendable Cubicle Track

BEST  
SELLER

**Not just a flexible guide. A smooth, quiet ride.**



Bends and forms to meet the desired configuration.



Rolled track option for continuous track.



Significant decibel noise reduction compared to standard aluminum track.



Available in rolls for simple transportation, storage and installation on-site.

## 10 21 23 | Cubicles



**Lengths:** 8', 16', 40' roll or 105' roll (2.44m, 4.88m, 12.19m, 32m)



**Material:** Aluminum core with ABS shell (non-PVC)



**Fire Safety:** Class A, ASTM E84-08



**Factory Bends:** Bend in field




**Available Accessories:** Splice, Carrier with Hook, End Caps, Swivel End Caps, Spring Clips, Spring Clips with Grid Clip and Radius Clip





## Friendship Village - Skilled Nursing | Schaumburg, IL

Formatrac® Bendable Cubicle Track



### Formatrac® Track

CE200008 - 8ft. (2.44m)  
CE200016 - 16ft. (4.88m)  
CE200040 - 40ft. (12.19m) roll\*  
CE200105 - 105ft. (32m) roll\*  
Minimum recommended radius: 8" (20.3cm)  
U.S. Patent D661,533 S and 8,533,910 B2

\*Optional Straightener  
tool available.  
CE101



### NEW! Splice

CE2SPLICE  
Connects two sections of  
straight tracks together for  
a smooth transition.



### Carrier with Hook

CE2041  
Peak Load, lb(f): 52.5  
(23.8kg(f))  
Carrier height: 2¼"  
(60.33mm)  
Slide height: 1⅞" (28.6mm)



### End Caps

CE2080 - End Cap  
CE2100 - Fixed End Cap  
(Shown)  
Ensures that the curtain  
remains secured to the  
track end.



### Spring Clips

CE2250  
Recommended spacing:  
24" (610mm) on center for  
straight track  
18" (457mm) on center for track  
with bends.



### Spring Clips with Grid Clip

CE2550 for 1½" (24mm) Grid  
CE2550-916 for ¾" (14mm) Grid  
Recommended spacing:  
24" (610mm) on center for  
straight track  
18" (457mm) on center for track  
with bends.



### Swivel End Cap

CE2080-SW - End Cap (Shown)  
CE2100-SW - Fixed End Cap  
180° pivot  
Recommended for angled  
mounting at walls.




### Radius Clip

CE2200-RC  
90° Angle/12" Radius/Arch  
Length 19"  
Recommended for added  
support at 90° bends.


# Ultra Cube® Cubicle Track

Engineered for enhanced performance and effortless movement, Ultra Cube® Cubicle Track comes with a variety of patented accessories, making it versatile, suspended and IV compatible. Made from extruded aluminum, Ultra Cube provides heavy duty strength and is built to last.



## Ultra Cube® Track

CE800007(-AN)\* - 7ft. (2.13m)  
CE800008(-AN)\* - 8ft. (2.44m)  
CE800009(-AN)\* - 9ft. (2.74m)  
CE800012(-AN)\* - 12ft. (3.66m)



## Factory Bends

CE8042(-AN)\* - 45°, 2'x2' (610mm x 610mm)  
CE8043(-AN)\* - 45°, 3'x3' (914mm x 914mm)  
CE8062(-AN)\* - 60°, 2'x2' (610mm x 610mm)  
CE8092(-AN)\* - 90°, 2'x2' (610mm x 610mm)  
CE8093(-AN)\* - 90°, 3'x3' (914mm x 914mm)  
CE8094(-AN)\* - 90°, 4'x4' (1.22m x 1.22m)  
Available bends: 45°, 60° + 90°  
Custom angles available.



## Radius Bend

CE80954 54" (1.37m) Radius Bend (Shown)  
Size: 7' (2.13m) L  
Available in white only.



## Ball + Chain Carrier

CE9038  
Peak load, lb(f): 52.3 (23.7kg(f))  
Carrier Height: 4" (102mm)  
Wheel Height: 5/8" (15.88mm)



## Solid Hook Carrier

CE9025  
Peak load, lb(f): 53.3 (24.2kg(f))  
Carrier Height: 2 3/8" (60.33mm)  
Wheel Height: 5/8" (15.88mm)



## Ligature-Resistant\*\* Pop Out Carrier

CE9026-LR  
Disengages at 10 lbs. (4.54kg) of pressure  
Carrier Height: 2 7/8" (73mm)  
Wheel Height: 5/8" (15.88mm)



## Aluminum Splice

CE8SPICE(-AN)\*  
Connects two sections of track together for a smooth transition.  
Available in white or gray.



## Plastic End Caps

CE9080(-AN)\* - Plastic End Cap (shown)  
CE9100(-AN)\* - Plastic End Cap with Hook option  
Available in white or gray.



## Metal End Caps

CE9080M(-AN)\* Metal End Cap  
Available in white or gray.



## Flush Grid Clips

CE9270 - Flush Grid Clip (Shown)  
Allows for quick and easy installation of track to T-bar grid without hardware.  
For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1  
  
CE9272 - Flush Swivel Clip  
Used on bends only. 1 swivel clip per bend. For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1



## Tegular Grid Clips


CE9271 - Tegular Grid Clip (Shown)  
Allows for quick and easy installation of track to T-bar grid without hardware.  
For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1  
  
CE9273 - Tegular Swivel Clip  
Used on bends only. 1 swivel clip per bend. For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1

\*The (-AN) on the part numbers denotes the anodized finish to the track and accessories.

\*\*This product does not guarantee patient safety.


# Whisper Cube® Cubicle Track

Whisper Cube® Cubicle Track offers quieter operation during curtain movement, making it ideal for recovery rooms, birthing centers and critical care areas. Whisper Cube is manufactured from PVC to provide a long-lasting cubicle track system.



## Whisper Cube® Track

CE900007 - 7ft. (2.13m)  
CE900008 - 8ft. (2.44m)  
CE900009 - 9ft. (2.74m)  
CE900012 - 12ft. (3.66m)



## Factory Bends

CE9042-45°, 2'x2' (610mm x 610mm)  
CE9043-45°, 3'x3' (914mm x 914mm)  
CE9062-60°, 2'x2' (610mm x 610mm)  
CE9092-90°, 2'x2' (610mm x 610mm)  
CE9093-90°, 3'x3' (914mm x 914mm)  
CE9094-90°, 4'x4' (1.22m x 1.22m)  
Available bends include 45°, 60° and 90°



## End Caps

CE9080 Plastic End Cap (Shown)  
CE9100 Plastic End Cap with Hook option



## Ball + Chain Carrier

CE9038  
Peak load lb(f): 52.3 (23.7kg(f))  
Carrier Height: 4" (102mm)  
Wheel Height: 5/8" (15.88mm)



## Solid Hook Carrier

CE9025  
Peak load, lb(f): 53.3 (24.2kg(f))  
Carrier Height: 2 3/8" (60.33mm)  
Wheel Height: 5/8" (15.88mm)




## Ligature-Resistant\*\* Pop Out Carrier

CE9026-LR  
Disengages at 10 lbs. (4.5kg) of pressure  
Carrier Height: 2 7/8" (73mm)  
Wheel Height: 5/8" (15.88mm)



## Aluminum Splice

CE9SPICE  
Connects two sections of track together for a smooth transition.



## Flush Grid Clips

CE9270 - Flush Grid Clip (Shown)  
Allows for quick and easy installation of track to T-bar grid without hardware. For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1

CE9272 - Flush Swivel Clip  
Used on bends only. 1 swivel clip per bend. For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1



## Tegular Grid Clips

CE9271 - Tegular Grid Clip (Shown)  
Allows for quick and easy installation of track to T-bar grid without hardware. For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1


CE9273 - Tegular Swivel Clip  
Used on bends only. 1 swivel clip per bend. For use with 15/16" (24mm) grid.  
U.S. Patent 6,409,415 B1

\*\*This product does not guarantee patient safety.

# Optitrac® Cubicle Track


**BEST  
SELLER**

Optitrac® Cubicle Track comes with a variety of track accessories and meets most common track specifications. Optitrac is manufactured from extruded aluminum to provide heavy duty strength and a long-lasting cubicle track system. Optitrac can also be suspended and has a Safety Loading unit option (pg. 144).



## Optitrac® Track

CE500007(-AN)\* - 7 ft. (2.13m)  
CE500008(-AN)\* - 8 ft. (2.44m)  
CE500009(-AN)\* - 9 ft. (2.74m)  
CE500012(-AN)\* - 12 ft. (3.66m)



## Factory Bends

CE5042(-AN)\* - 45°, 2'x2' (610mm x 610mm)  
CE5043(-AN)\* - 45°, 3'x3' (914mm x 914mm)  
CE5062(-AN)\* - 60°, 2'x2' (610mm x 610mm)  
CE5092(-AN)\* - 90°, 2'x2' (610mm x 610mm)  
CE5093(-AN)\* - 90°, 3'x3' (914mm x 914mm)  
CE5094(-AN)\* - 90°, 4'x4' (1.22m x 1.22m)  
Available bends: 45°, 60° and 90°  
Custom angles available.



## Radius Bends

CE50954 54" (1.37m) Radius Bend (Shown)  
Size: 7' (2.13m) L  
Available in white only.

**BEST  
SELLER**



Inpro recommends

## Spool Carrier

CE5041  
Peak load, lb(f): 115.6 (52.44kg(f))  
Carrier Height: 2 1/2" (63.5mm)  
Spool Height: 3/4" (14.29mm)  
Can also be used with Ultra Cube® Track Systems.



## Solid Hook Spool Carrier

CE6030  
Peak Load, lb(f): 25.3 (11.47kg(f))  
Carrier Height: 1 1/2" (38.1mm)  
Spool Height: 1 1/16" (17.46mm)  
Can also be used with Ultra Cube® Track Systems.



## Ball + Chain Carrier

CE5038  
Peak load, lb(f): 46.9 (21.27kg(f))  
Carrier Height: 2 1/2" (63.5mm)  
Wheel Height: 1/2" (12.7mm)



## Ligature-Resistant\*\* Pop Out Carrier

CE6026-LR  
Disengages at 10 lbs. (4.54kg) of pressure  
Carrier Height: 2 1/2" (63.5mm)  
Wheel Height: 5/8" (15.87mm)



## Plastic End Caps

CE5080(-AN)\* - Plastic End Cap  
CE5100(-AN)\* - Removable End Cap (Shown: Carrier not included)  
Available in white or gray.



## Metal End Caps

CE5080M(-AN)\* - Metal End Cap  
Available in white or gray.



## Aluminum Splice

CE5SPLICE(-AN)\*  
Available in white or gray.



## Ceiling Spacers (optional)

CE101045  
Hides exposed hardware when mechanically fastening track to ceiling grid. Provides adequate spacing between track and regular ceiling tile.  
1/4" (6.35mm) H x 1/2" (12.7mm) W


\*The (-AN) on the part numbers denotes the anodized finish to the track and accessories.

\*\*This product does not guarantee patient safety.




# Nanotrak<sup>®</sup> Cubicle Track

Nanotrak<sup>®</sup> Cubicle Track is manufactured from extruded aluminum and offers a sleek, compact design ideal for narrow profiles, such as changing room areas. Recommended for small areas only.



## Nanotrak<sup>®</sup>

CE700008 - 8 ft. (2.44m)



## Factory Bends

CE7042 - 45° Bend, 2'x2'  
(610mm x 610mm)  
CE7092 - 90° Bend, 2'x2'  
(610mm x 610mm)  
Available bends: 45° and 90°.



## End Caps

CE7025  
End caps  
hold carriers  
and curtain  
in the track.



## Splice

CE7SPLICE  
Connects two sections  
of track together for a  
smooth transition.



## Slide Carrier

CE7019  
Available in 10 packs only.  
Peak load: 51.7 lb(f) (23kg(f))  
Carrier Height: 2" (51mm)  
Spool Height: 5/16" (7.9mm)

# Ultra Cube<sup>®</sup> IV Systems



## IV Five Bag Holder

CE9505  
Open length: 41.5" (1.05m)  
Closed length: 27" (685mm)



## IV Nine Bag Holder

CE9509  
Open length: 41.5" (1.05m)  
Closed length: 27" (685mm)



## Stationary IV Pendant


CE950408 - 8' (2.45m) (Shown)  
CE950486 - 8'6" (2.59m)  
CE950409 - 9' (2.74m)  
CE950496 - 9'6" (2.9m)  
CE950410 - 10' (3.05m)  
Attaches directly to hard ceilings.  
Extender available for five ceiling  
heights.

Post sold separately. CE830008 (-AN)\*



## IV End Caps

CE9501(-AN)\*  
Available in white or gray anodized  
finish.  
Use with IV Carriages.



IV Carriage Extender



IV Carriage

## IV Carriage Ultra Cube<sup>®</sup>

CE950208 - 8' (2.45m) ceiling/  
3" (76mm) drop (Shown)  
CE950286 - 8'6" (2.59m) ceiling/  
9" (229mm) drop  
CE950209 - 9' (2.74m) ceiling/  
15" (381mm) drop  
CE950296 - 9'6" (2.9m) ceiling/  
21" (533mm) drop  
CE950210 - 10' (3.05m) ceiling/  
27" (686mm) drop  
Drop includes combined length  
of carriage + extension.

\*The (-AN) on the part numbers denotes the anodized finish to the track and accessories.

# Suspended Track

Compatible with Optitrac® and Ultra Cube® Track Systems.



## Hard Ceiling Support Brackets

CE8500(-AN)\* - Ultra Cube®  
CE5500(-AN)\* - Optitrac®  
Includes ceiling and track brackets.  
Available in white or gray.  
Posts sold separately.



## Sloped Ceiling Support Brackets

CE8400(-AN)\* - Ultra Cube®  
CE5400(-AN)\* - Optitrac®  
Includes ceiling and track brackets.  
Available in white or gray.  
Posts sold separately.



## L-Bracket

CE8622-ASM  
Use for each wall touch to reduce track movement.



## Posts

CE830008(-AN)\*  
Supports suspended track from a ceiling. Available in white baked acrylic enamel finish or anodized. Sold in 8' (2.44m) lengths. Recommend 2' (.61m) max suspension.



## Tegular Grid Ceilings

CE9275(-AN)\* Ultra Cube®  
CE5275(-AN)\* Optitrac®  
Includes Grid Clip and brackets for 15/16" grid.  
Post sold separately.



## Flush Grid Ceilings

CE9274(-AN)\* Ultra Cube®  
CE5274(-AN)\* Optitrac®  
Includes Grid Clip and brackets for 15/16" grid.  
Post sold separately.



## Wall Mount Bracket

CE5082(-AN)  
Available in white or zinc-plated.

# Safety Loading Unit

Our Safety Loading Unit provides a safer, easier solution for changing cubicle curtains because no ladders are required. The Safety Loading Unit can easily be retrofitted onto existing Optitrac® or Ultra Cube® track or many of the track systems on the market. By lowering the cubicle track, you can reduce curtain change-out time by up to 25%.



## Wall Mount

CE5920 - Optitrac® Safety Loading Unit - Wall Mount  
CE8920 - Ultra Cube® Safety Loading Unit - Wall Mount  
Custom sizes available.  
Includes hinge, latch, wall mount bracket and 5' (1.52m) track



## Post Mount

CE5921 - Optitrac® Safety Loading Unit - Post Mount  
CE8921 - Ultra Cube® Safety Loading Unit - Post Mount  
Custom sizes available.  
Includes hinge, latch, post mount bracket and 5' (1.52m) track



## Operating Wand

CE8521  
Use one wand for every 10 units.  
Length: 42" (1.06m) length



## Solid Hook Spool Carrier

CE6030  
Use with Optitrac® or UltraCube®  
Peak load: 25.3 lb(f) (11.48kg(f))

\*The (-AN) on the part numbers denotes the anodized finish to the track and accessories.



**Medical Center | Patient Room**

Safety Loading Unit, Shield by Panaz® Talk To Me, Pep Talk


# Shower Curtains + Accessories

Shower curtains are custom fabricated to your specific dimensions. Pre-made options also available. (pg. 153)



## Standard

Standard shower curtains are custom-made to your specifications. Pre-made options in popular colors available online at [inpro.com](http://inpro.com).



## Water Barrier

Create a temporary barrier along the shower floor and edges with outstanding water leak prevention that meets ADA requirements. Available in Super Bio Stat™ vinyl.



## Security

Security Shower Curtains are ideal for detention centers and lab testing areas. Mesh on top for air/steam circulation, 38" (96.5cm) Super Bio Stat™ middle and 22" (55.9cm) translucent vinyl bottom. Custom sizes available.



## Chalet

Chalet Shower Curtains are 100% polyester with a Visa® finish that resists stains and dirt. The fabric is treated with an antimicrobial agent to inhibit the growth of mold and mildew, making these curtains easy to clean and maintain. (See next page for additional fabric options)



## Shower Rods + Rings

For our full product offering visit [inpro.com](http://inpro.com).



# Shower Curtain Fabrics

## Super Bio Stat™ \$

Stain resistant + antimicrobial to inhibit the growth of mold + mildew.

**Width:** 72.5" (184.15 cm)

**Repeat:** 0" (0cm) H x 0" (0cm) V

**Shown:** Vertically Seamed

**Content:** Heavy-duty vinyl laminated on polyester filament.

GreenGuard® Gold Certified

## Chalet \$\$

Stain resistant + antimicrobial to inhibit the growth of mold + mildew.

**Width:** 72" (182.88 cm)

**Repeat:** 0" (0cm) H x 0" (0cm) V

**Shown:** Vertically Seamed


**Content:** 100% Polyester FR with Visa® Finish.

## Shield by Panaz® \$\$\$

Liquid repellent, stain resistant + antimicrobial to inhibit the growth of mold + mildew.

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.

\*Recommended to use with a liner



Chino



Blue Moon



Wabi-Sabi | Acceptance



White



Blue




Translucent



Snow



Cream



Lancaster | Cream



Tudor | Sand Dune



Tusk



Butterscotch



Sharkskin



Cafe



Doeskin



Follow Me | Oyster



Dyer | Composed



Sterling



Mint



Seafoam



Buff



Palm



Lancaster | Bayleaf




Talk to Me | Pep Talk



Veranda



Black



Shadow

Quick Ship Fabric In Stock (24 Hour Curtain)

For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com](http://inpro.com)

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.


# Carefully Crafted **Cubicle Curtains**

From our sales specialists to our state-of-the-art manufacturing facilities across the U.S., we have the expertise and processes in place to ensure your curtains are carefully crafted to make your project a success.

Choose your own fabric, or let us help source the perfect one for your project from one of our many textile partners. We want you to achieve your designs exactly the way you envision them.




# Curtain Options + Accessories



## Standard Construction

Mesh exposed on reverse side of curtain.



## Hidden Mesh

Concealed on reverse side of cubicle curtain.  
*Available upon request.*



## Framing

Fabric border is sewn around top and sides of curtain.  
*Available upon request.*



## Banding

Fabric border is sewn on top of curtain.  
*Available upon request.*



## Snap Tape

Snap tape is on top, sides (or both) of curtain, hidden between mesh and fabric, for easy change-outs.  
*Available upon request.*



## EZE-Swap® Snap Panels

Snap panel system allows for quicker change out time. Standard panel sizes are 66" W by 66" H.  
*See pg. 152 for more options.*



## EZE-Mesh®

100% Nylon Mesh available in Tusk and Snow. Optional Antimicrobial Mesh available.



## Adjustable Drop chain

Use Adjustable Drop-Chain to accommodate various height conditions and for air/steam circulation. Use to raise and lower curtain height.  
Lengths: 6" (152mm), 12" (305mm), 18" (457mm), 24" (610mm)  
CE9039 - White  
CE9039-24 - Nickel Plated



## Beaded Chain

Use as curtain tie-back. Length: 48" (1.22m)  
Plastic: CE9251  
Nickel Plated: CE9252



## Tie Backs

Fabric tie backs available with Velcro or Grommets.



## Clip-on Wands

Pulls curtain along track instead of by the curtain, reducing wear.  
CE100698 - 48" (1219mm) length  
CE100697 - 36" (914mm) length  
CE9224 - 24" Adjustable Chain Wand (610mm) length



## Blackout Valance

Using dim out fabrics, we can customize a valance for the space between the curtain and ceiling. It can be easily attached to the track giving you the option to put it up in instances where you want to block extra light.



# Disposable Curtains

For areas that require frequent curtain change outs, disposable curtains are a great option. 100% recyclable, disposable curtains are available with attached mesh and snap panel fabrications.

- Individually packaged, sold in cases of 12
- Meets NFPA 701
- Mesh curtains and snap panel curtains available

## Mesh Curtains

100% Non-woven Polypropylene w/ antibacterial

### Sizes Available

94" (2.39m) W x 93" (2.36m) H, 26" White Mesh

94" (2.39m) W x 81" (2.06m) H, 20" White Mesh

¾" (19mm) white plastic grommets

## Snap Panels

100% Non-woven Polypropylene

### Sizes Available


66" (1.67m) W x 66" (1.67m) H

Metal Snaps

*Use with EZE-Swap® Mesh Header for quick change-outs, sold separately. (see pg. 149)*



## Printed Pattern Options!



### FM 01

**CEDISPPFM01**


Disposable Snap Panel 66" x 66" FM01, 12/Case

**CEDISPMC8FM01**

Disposable 94"W x 81"H 20" White Mesh FM01, 12/Case, Antibacterial

**CEDISPMC9FM01**

Disposable 94"W x 93"H 26" White Mesh FM01, 12/Case, Antibacterial



### FM 02

**CEDISPPFM02**

Disposable Snap Panel 66" x 66" FM02, 12/Case

**CEDISPMC8FM02**

Disposable 94"W x 81"H 20" White Mesh FM02, 12/Case, Antibacterial

**CEDISPMC9FM02**

Disposable 94"W x 93"H 26" White Mesh FM02, 12/Case, Antibacterial



# Disposable or Reusable?

## 8 Things to Consider

When it comes to things like cost savings, times savings, performance and aesthetics, there are pros and cons to each side. So which do you choose? Consider these 8 important factors:



### Sustainability

On average 7,000 disposable curtains per facility would go into waste management vs. resources needed to launder.



### Maintenance

Snap can be used on either curtain option to make change-outs easier and maintain inventory efficiency.



### Performance

Liquid repellent and stain resistant textile fabrics outlast disposable curtains and prevent the need for constant laundering.



### Privacy

The thickness of reusable curtains adds an extra layer of sound and sight privacy.



### Technology

Both curtain types can offer antimicrobial technology to maintain a clean environment.



### Cost

Reusable curtains cost 70% less per curtain on an annual basis.



### Aesthetics

Consider the softer look and feel of textiles over disposables in your design and the perception among patients.



### Placement

Areas that change curtains multiple times per day are great candidates for disposables whereas reusable curtains work great in areas that don't require frequent change-outs.

## Standard Options



### Periwinkle

**CEDISPPPW**  
Disposable Snap Panel 66" x 66"  
Periwinkle, 12/Case

**CEDISPMC8PW**  
Disposable 94"W x 81"H 20" White  
Mesh Periwinkle, 12/Case Antibacterial

**CEDISPMC9PW**  
Disposable 94"W x 93"H 26" White  
Mesh Periwinkle, 12/Case Antibacterial



### Taupe

**CEDISPSPTP**  
Disposable Snap Panel 66" x 66"  
Taupe, 12/Case

**CEDISPMC8TP**  
Disposable 94"W x 81"H 20" White  
Mesh Taupe, 12/Case, Antibacterial

**CEDISPMC9TP**  
Disposable 94"W x 93"H 26" White  
Mesh Taupe, 12/Case, Antibacterial



### Cream

**CEDISPSPCR**  
Disposable Snap Panel 66" x 66"  
Cream, 12/Case

**CEDISPMC8CR**  
Disposable 94"W x 81"H 20" White  
Mesh Cream, 12/Case, Antibacterial

**CEDISPMC9CR**  
Disposable 94"W x 93"H 26" White  
Mesh Cream, 12/Case, Antibacterial



### Grey

**CEDISPSPGY**  
Disposable Snap Panel 66" x 66"  
Grey, 12/Case

**CEDISPMC8GY**  
Disposable 94"W x 81"H 20" White  
Mesh Grey, 12/Case, Antibacterial

**CEDISPMC9GY**  
Disposable 94"W x 93"H 26" White  
Mesh Grey, 12/Case, Antibacterial

# In-Stock Curtains: **24 hours.**

Our pre-made curtains ship in 24 hours. Standard sizes and select colors only.

## 24 Hour Cubicle Curtains



### Simplicity | Natural

#### CZ24HR-SIMNA-8

Cubicle Curtains for 8' ceiling height  
68"W x 81"H Incl Snow Mesh

#### CZ24HR-SIMNA-9

Cubicle Curtains for 9' ceiling height  
68"W x 93"H Incl Snow Mesh



### Simplicity | Tara

#### CZ24HR-SIMTA-8

Cubicle Curtains for 8' ceiling height  
68"W x 81"H Incl Snow Mesh

#### CZ24HR-SIMTA-9

Cubicle Curtains for 9' ceiling height  
68"W x 93"H Incl Snow Mesh



### Simplicity | Hydro

#### CZ24HR-SIMHY-8

Cubicle Curtains for 8' ceiling height  
68"W x 81"H Incl Snow Mesh

#### CZ24HR-SIMHY-9

Cubicle Curtains for 9' ceiling height  
68"W x 93"H Incl Snow Mesh



### Simplicity | Stingray

#### CZ24HR-SIMST-8

Cubicle Curtains for 8' ceiling height  
68"W x 81"H Incl Snow Mesh

#### CZ24HR-SIMST-9

Cubicle Curtains for 9' ceiling height  
68"W x 93"H Incl Snow Mesh

## 24 Hour EZE-Swap® Curtains Snap Panel System



### Aloft | Shadow

CZ-66X66ALOFTSH  
66"x66" EZE-SWAP  
Fabric Panel



### Surf | Riptide

CZ-66X66SURFRT  
66"x66" EZE-SWAP  
Fabric Panel



### Celine | Composed

CZ-66X66CELCOMP  
66"x66" EZE-SWAP  
Fabric Panel



### Posh | Wink

CZ-66X66POSHWI  
66"x66" EZE-SWAP  
Fabric Panel



### Follow Me | Oyster

CZ-66X66FMOYS  
66"x66" EZE-SWAP  
Fabric Panel



### Array | Stone

CZ-66X66ARRYST  
66"x66" EZE-SWAP  
Fabric Panel



### Simplicity | Natural

CZ-66X66SIMP NAT  
66"x66" EZE-SWAP  
Fabric Panel



### Simplicity | Tara

CZ-66X66SIMP TAR  
66"x66" EZE-SWAP  
Fabric Panel



### Simplicity | Hydro

CZ-66X66SIMP HYD  
66"x66" EZE-SWAP  
Fabric Panel



### Simplicity | Stingray

CZ-66X66SIMP STI  
66"x66" EZE-SWAP  
Fabric Panel



### Super Bio Stat™ White

CZ-66X66SBSWHT  
66"x66" EZE-SWAP  
Fabric Panel

## Mesh Panels



### Snow

#### CZ-MESH20X127

EZE-SWAP Snow Mesh - 8' ceilings  
20" Open x 127" W (2 panels)

#### CZ-MESH24X127

EZE-SWAP Snow Mesh - 9' ceilings  
24" Open x 127" W (2 panels)

#### CZ-MESH20X187

EZE-SWAP Snow Mesh - 8' ceilings  
20" Open x 187" W (3 panels)

#### CZ-MESH24X187

EZE-SWAP Snow Mesh - 9' ceilings  
24" Open x 187" W (3 panels)

#### CZ-MESH20X248

EZE-SWAP Snow Mesh - 8' ceilings  
20" Open x 248" W (4 panels)

#### CZ-MESH24X248

EZE-SWAP Snow Mesh - 9' ceilings  
24" Open x 248" W (4 panels)



For full offering of colors and to order **FREE** samples for a more accurate color representation, visit [inpro.com/curtains25](http://inpro.com/curtains25)

## 24 Hour Shower Curtains



### Super Bio Stat™ | White

CZ24HR-SBS-WH42  
Shower Curtain for  
36" Showers, 42" W x 70" H

CZ24HR-SBS-WH72  
Shower Curtain for  
60" Showers, 72" W x 70" H



### Super Bio Stat™ | Chino

CZ24HR-SBS-CH42  
Shower Curtain for  
36" Showers, 42" W x 70" H

CZ24HR-SBS-CH72  
Shower Curtain for  
60" Showers, 72" W x 70" H



### Super Bio Stat™ | Tusk

CZ24HR-SBS-TU42  
Shower Curtain for  
36" Showers, 42" W x 70" H

CZ24HR-SBS-TU72  
Shower Curtain for  
60" Showers, 72" W x 70" H



## Quick Ship Fabrics: Ships in 5 days

Up to 20 custom curtains made with our best-selling fabrics will ship within 5 days.

### Shield By Panaz®



Aloft | Shadow



Surf | Riptide



Tudor | Sand Dune



Posh | Wink



Follow Me | Oyster



Array | Stone

### Simplicity



Natural



Tara



Hydro



Stingray



Cookie

### Super Bio Stat™ Shower Curtains



Sharkskin



White



Chino



Tusk



Blue

Maximum order size for 5 day shipping is 20 curtains made from our in-stock fabrics. Lead times vary for products not in stock. Colors and patterns are subject to availability. Contact your sales rep for specific lead times.

# Shield by Panaz®

## Intelligent, Protective Fabrics

### Where design meets performance.

For environments that require 24/7 maintenance, count on Shield by Panaz® for 24/7 protection.

Shield fabrics are antimicrobial to inhibit the growth of mold and mildew. They're also liquid repellent and highly resistant to most stains.

Use Shield fabrics for cubicle curtains, shower curtains\*, window treatments and bedspreads.



#### Stain + Liquid Repellent

Spills can be wiped clean in place due to Shield fabrics' repellency and stain resistance, decreasing the amount of laundering required, saving you time and laundry-related costs.



#### Kills Bacteria On Contact

Utilizing AEGIS® Technology by Microban®, Shield fabrics kill bacteria on contact to protect the fabric from odor-causing bacteria, mold and mildew. The technology forms a covalent bond with the fabric, providing continuous protection wash after wash.



#### Save Time + Money

Less time laundering means less time spent changing out curtains! A study conducted by Westchester Medical Center in Valhalla, NY estimated over \$50,000 in first year cost savings when switching to Shield from standard cubicle curtains.



#### Easy Care + Maintenance


Unlike other fabrics, Shield by Panaz® does not require special detergents to maintain its antimicrobial properties and needs little to no dry time.



#### Designer Friendly

With Shield by Panaz®, you get high performance fabrics with high quality designs. With over 20 patterns and 100 colorways to choose from, it's easy to coordinate with the rest of your interiors. We can also create custom patterns and colorways!

**Ask about our free mockup program!**




**Learn more  
about Shield!**



**HPD available at [inpro.com](http://inpro.com)**

\*Recommended to use with a liner when used as a shower curtain





### **Water + Stain Resistant!**

Shield by Panaz® is stain and liquid repellent, making it easy to clean, decreasing the frequency of laundering required.

#### **Hospital | Patient Room**

Shield By Panaz® Cubicle Curtain in Follow Me, Blue Haze

# Shield by Panaz®

## Custom Print Program

Designed to perform. Designed to enhance. Shield's Custom Print Program gives you total design freedom with fabrics that protect patient privacy. Choose from the full line of Panaz® prints, recolor existing patterns, or create your own custom design.\*

Low minimum of 65 yds (60m).



### Choose Your Material

#### Standard Shield Fabrics

- Antimicrobial to inhibit the growth of mold and mildew
- Liquid Repellent, Stain Resistant

#### Shield-HH Fabrics

- Meets Practice Greenhealth - Healthier Hospitals Criteria
- Water Repellent, Stain Resistant

### Choose Your Fabric Width

- 54" (1372mm) - *Standard Shield Only*
- 57" (1448mm) - *Standard Shield Only*
- 72" (1829mm) - *Standard Shield or Shield-HH*

### Choose Your Customization

Choose from a variety of customization options for your curtains to fully match your design vision.



#### Recolor any current Shield patterns

SHOWN: Recolored Shield pattern in Dorchester



#### Select from the Panaz® full print program at [panaz.com](https://panaz.com)

Navigate to "Products", then "Browse by Type - Digital Print" to see all pattern options



#### Provide your own custom pattern\*

\*Pattern images must be in one of the following compatible file formats: TIFF (preferred option), ILLUSTRATOR (.AI File), PDF (MIN 200 DPI), PSD (MIN 200 DPI), EPS (IF DPI-MIN 200)

# Shield-HH Fabrics

Shield-HH is the newest offering from our Shield by Panaz® line. Offers water repellency and stain resistance, without antimicrobial properties, for projects following Practice Greenhealth - Healthier Hospitals criteria.



## Designer Friendly

Shield-HH is available in all Shield by Panaz® patterns, as well as any of the custom patterns and colorways offered through our Custom Print Program.



## HH-Compliant

Shield-HH fabrics are antimicrobial-free with finishes that meet Practice Greenhealth - Healthier Hospitals Criteria.



## Water + Stain Repellent

Shield-HH is water repellent and stain resistant, so spills can be wiped clean in place, decreasing the amount of laundering required.



## Easy Care + Maintenance

Just like Shield by Panaz®, Shield-HH fabrics do not require any special detergents to maintain their water and stain repellency and need little to no dry time.



**Shield-HH Custom  
Print Cubicle Curtain**



# The Perfect Trio®

## Quiet. Efficient. High Performing.

The Perfect Trio® of privacy products creates the ideal environment of comfort and recovery for patients. The Perfect Trio utilizes innovative technology to preserve patient peace, without sacrificing their privacy.

1



### Formatrac® Track System

Formatrac® Bendable Cubicle Track easily bends by hand, allowing it to accommodate virtually any design. Snap the flexible track into grid clips for simple, on-site installation.

- Formatrac® has shown over 50% noise reduction compared to standard aluminum track.
- Formatrac® bends by hand and forms to meet any desired configuration.
- Rolled track option for continuous track.
- Formatrac® is available in rolls, allowing for simple transportation, storage and installation on-site.
- Formatrac® is made from 99% recycled aluminum core with an ABS (non PVC) shell.
- Track comes with premarked dots every 12" (30.48cm) for easy on-site measuring and cutting, helping to reduce waste.

2



### EZE-Swap® Curtains

EZE-Swap® is a snap panel system that allows you to efficiently change out cubicle curtains for laundering. Simply unsnap the panels from the mesh for quick and easy change outs. Panels can be removed at standing height, eliminating the need for ladders.

- Standard panel size is 66" x 66" (167.64cm x 167.64cm).
- Panels overlap for complete patient privacy.
- Custom Panel sizes available
- Mesh headers are made to order. Our mesh is compatible with reusable or disposable fabric panels.
- Pre-made options available for quick delivery, see page 152.

3



### Shield by Panaz® Fabric

Shield fabrics are antimicrobial to inhibit the growth of mold and mildew. They're also liquid repellent and highly resistant to most stains. Use Shield fabrics for cubicle curtains, shower curtains\*, window treatments and bed throws.

- Spills can be wiped clean in place due to Shield's repellency and stain resistance, decreasing the amount of laundering required.
- Shield's AEGIS® Technology by Microban® forms a covalent bond with the fabric, killing odor-causing bacteria on contact and preventing mold and mildew.
- Less time laundering means less time spent changing out curtains.
- Shield doesn't require any special detergents to maintain its antimicrobial properties and needs little to no dry time.
- With over 20 patterns and 100 colorways, Shield by Panaz® gives you high quality designs on high performance fabrics.
- **Custom Print Program:** Get total design freedom with fabrics. Recolor existing Shield patterns or create your own custom design!

\*Shower curtain applications recommend a shower liner.





**Hospital | Patient Room**

Shield By Panaz® Cubicle Curtain in Malt, Pebble

# fabric

## selection guide

We have beautiful offerings of fabrics from leading vendors, featuring collections that range in price, material and design. We also have several Inpro Exclusive fabrics to give your project a one-of-a-kind look.

Not seeing what you're looking for? No problem. We work with all major textile manufacturers and will help you find the ideal fabric to complement your design. We can even have custom patterns and colorways made to match your interiors!

### Shield \$\$\$

161 Abloom  
161 Aloft  
161 Array  
162 Brushstroke  
162 Canopy  
162 Celine  
163 Delta  
163 Dorchester  
163 Dyer  
164 Figura  
164 Follow Me  
164 Framework  
165 Full Circle  
165 Geo Grande  
165 Lancaster  
166 Lea  
166 Malt  
166 Origami  
167 Ovation  
167 Posh  
167 Shoji  
168 Still Life  
168 Surf  
168 Talk To Me  
169 Thicket  
169 Tudor  
169 Wabi-Sabi

### Platinum \$\$\$\$

170 Audubon  
170 Empyrean  
170 Interlude  
171 Mesmerize  
171 Passage  
171 Purity  
171 Vestige

### Bronze \$

176 Boardwalk  
176 Madison  
176 Orbitz 2  
177 Simplicity  
177 Sofetti  
177 Spunk  
177 Windsor

### Gold \$\$\$

172 Aura  
172 Celestial  
172 Galactic  
172 Haven  
173 Spree  
173 Tango  
173 To and Fro  
173 Windmill

### Shower Curtain Options

See page 147  
for our shower  
curtain options.

### Silver \$\$

174 Flare  
174 Fossil (*New Colors*)  
174 Mingle  
174 Optic  
175 Raven Blackout  
175 Serene Dim Out  
175 Shuffle  
175 Whimsy

### Drapery Sheers

See page 183  
for our drapery  
sheer options.



Visit [inpro.com/curtains25](https://inpro.com/curtains25) to order free fabric samples.

# shield by panaz® fabrics \$\$\$

These high performing fabrics are offered in a variety of printed pattern options and are Exclusive to Inpro.

*Available in finished goods, or to purchase by the roll. HPD Available.*

## Abloom

**Width:** 72"

**Repeat:** 25.2" H x 24.15" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Stone

## Aloft

**Width:** 72"

**Repeat:** 0" H x 0" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



River Water

## Array

**Width:** 72"

**Repeat:** 24.15" H x 25.2" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Eucalyptus



Waterscape



Eucalyptus



Morning Grass



Mocha



Bamboo




Auburn



Auburn



Sepia



Shadow




Pistachio



Stone



Teal Mist



Timber



Waterscape

Sustainable Fabric Quick Ship Fabric In Stock (24hr Curtain)

For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# shield by panaz® fabrics | \$\$\$



Visit [inpro.com/curtains25](http://inpro.com/curtains25) for full offering of patterns and colorways.

## Brushstroke

**Width:** 72"

**Repeat:** 24.9" H x 71.7" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Dwell



Vanity



Hedge

## Canopy

**Width:** 72"

**Repeat:** 27.2" H x 72" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Rain



Earth



Eclipse



Breeze

## Celine

**Width:** 72"

**Repeat:** 13" H x 24" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Nurture



Luxe



Composed



Freshwater

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.



# shield by panaz® fabrics | \$\$\$

## Delta

**Width:** 72"

**Repeat:** 6.8" H x 6.5" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Blue Bird



Very Berry

## Dorchester

**Width:** 57"

**Repeat:** 13.25" H x 0" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Beach Glass



Sonora



Sterling


## Dyer

**Width:** 54"

**Repeat:** 10.8" H x 19" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Composed



Luxe



Nurture



Freshwater

♻️ Sustainable Fabric 🚚 Quick Ship Fabric 🕒 24 In Stock (24hr Curtain)

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# shield by panaz® fabrics | \$\$\$



Visit [inpro.com/curtains25](http://inpro.com/curtains25) for full offering of patterns and colorways.

## Figura

**Width:** 54"

**Repeat:** 9" H x 8.7" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Fennel



Wink



Dreamsicle



Curry

## Follow Me

**Width:** 72"


**Repeat:** 12.6" H x 12.1" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Blue Haze



French Roast



Oyster




Cream City



Blue Yonder



Cyber Yellow



Spring

## Framework

**Width:** 72"

**Repeat:** 12.6" H x 12.2" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Khaki



Platinum



Silver Sand

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

# shield by panaz® fabrics | \$\$\$

## Full Circle

**Width:** 72"

**Repeat:** 12.6" H x 12.2" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



## Geo Grande

**Width:** 72"

**Repeat:** 5" H x 6" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.




## Lancaster

**Width:** 54"

**Repeat:** 1" H x 1" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Oyster

Coriander


Cornflower



French Roast



Cream City




Dreamsicle



Curry



Cream



Downy



Blue Yonder




Fennel



Wink



Bayleaf



Ash Cloud

Sustainable Fabric Quick Ship Fabric In Stock (24hr Curtain)

For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# shield by panaz® fabrics | \$\$\$



Visit [inpro.com/curtains25](http://inpro.com/curtains25) for full offering of patterns and colorways.

## Lea

**Width:** 72"

**Repeat:** 25.2"H x 72" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Ocean



Spa



Meadow



Fresh

## Malt

**Width:** 72"

**Repeat:** 0" H x 0" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Deco



Pebble



Composed



Freshwater

## Origami

**Width:** 72"

**Repeat:** 27" H x 27" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Acceptance



Transience



Imperfect

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.



# shield by panaz® fabrics | \$\$\$

## Ovation

**Width:** 72"

**Repeat:** 14" H x 25" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Aqua



Spruce



Almond



Toast

## Posh

**Width:** 72"

**Repeat:** 8.3" H x 16.6" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Brunnera



Coriander



Curry



Fennel



Succulent



Wink

## Shoji

**Width:** 72"

**Repeat:** 18" H x 18" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Acceptance



Nature



Connected



Imperfect



Rustic

♻️ Sustainable Fabric 🚚 Quick Ship Fabric 24 In Stock (24hr Curtain)

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# shield by panaz® fabrics | \$\$\$



Visit [inpro.com/curtains25](http://inpro.com/curtains25) for full offering of patterns and colorways.

## Still Life

**Width:** 72"

**Repeat:** 16" H x 13.4" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



## Surf

**Width:** 72"

**Repeat:** 27" H x 27" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



## Talk to Me

**Width:** 54"

**Repeat:** 27" H x 9" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



Meadow

Pipeline

Hush



Aster



Lily Pond



Crest



Carve




Pep Talk



Icebreaker



Poplar



Riptide



Out Loud

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

# shield by panaz® fabrics | \$\$\$

## Thicket

**Width:** 72"

**Repeat:** 21" H x 25" V

**Shown:** Railroaded

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



## Tudor

**Width:** 57"

**Repeat:** 13.46" H x 4" V

**Shown:** Vertically Seamed

**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.



## Wabi-Sabi

**Width:** 72"

**Repeat:** 7.127" H x 6.747" V

**Shown:** Vertically Seamed


**Content:** 100% flame retardant polyester modified with molecular antimicrobial and liquid repellent technologies.




Stream

Seagrass

Acceptance



Flax



Caribou



Sand Dune



Moccasin



Nature



Connected



Twilight



Imperfect



Rustic

♻️ Sustainable Fabric 🚚 Quick Ship Fabric 🕒 24 In Stock (24hr Curtain)

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# platinum fabrics | \$\$\$\$



Visit [inpro.com/curtains25](https://inpro.com/curtains25) for full offering of patterns and colorways.

## Audubon

**Width:** 72"

**Repeat:** 28" H x 76" V

**Shown:** Vertically Seamed

**Content:** 100% Trevira CS Polyester



Blossom



Bulb



Floret



Petal



Pollen



Seed



Stem



Leaf



Nectar



Root

## Empyrean

**Width:** 72"

**Repeat:** 41.5" H x 72" V

**Shown:** Railroaded

**Content:** 53% PC Recycled Polyester,  
47% FR Polyester



Relax



Calm



Breeze



Halcyon



Harmony


## Interlude

**Width:** 72"

**Repeat:** 22.25" H x 0" V

**Shown:** Railroaded

**Content:** 100% FR Polyester



Flux



Anew



Seltzer



Chrysalis

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.



# platinum fabrics | \$\$\$\$

## Mesmerize

Width: 72"

Repeat: 32" H x 72" V

Shown: Railroaded

Content: 81% FR Polyester,  
19% PI Recycled Polyester

## Passage

Width: 72"

Repeat: 53.5" H x 18.25" V

Shown: Railroaded

Content: 100% FR Polyester

## Purity

Width: 72"

Repeat: 45.25" H x 37.35" V

Shown: Railroaded

Content: 53% PC Recycled Polyester,  
47% FR Polyester


## Vestige

Width: 72"

Repeat: 42.25" H x 36" V

Shown: Railroaded

Content: 54% PC Recycled Polyester,  
46% FR Polyester



Delicate

Peak

Spa

Stormy



Palmetto



Washed



Archipelago



Shallow



Waterfall



Zen



Becloud



Hopeful



Sequoia



Moonstone



Fader



Lucent



Meadow



Dune



Boundary



Picnic



Baked



Sapodilla



Wren



Cloud



Rinsed



Tender

🌱 Sustainable Fabric 🚚 Quick Ship Fabric 🕒 24 In Stock (24hr Curtain) ✨ Exclusive Fabric

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# gold fabrics | \$\$\$



Visit [inpro.com/curtains25](https://inpro.com/curtains25) for full offering of patterns and colorways.


## Aura

Width: 72"

Repeat: .063" H x 72" V

Shown: Railroaded

Content: 53.06% FR Polyester,  
46.94% PC Recycled Polyester



## Celestial

Width: 72"

Repeat: 36.69" H x 44.78" V

Shown: Railroaded

Content: 48% FR Polyester,  
52% PC Recycled Polyester



## Galactic

Width: 72"

Repeat: 13.8" H x 18.4" V

Shown: Railroaded

Content: 53.52% FR Polyester,  
46.48% PC Recycled Polyester



## Haven

Width: 72"

Repeat: 62" H x 72" V

Shown: Railroaded

Content: 52% FR Polyester,  
48% Polyester



Clarity

Derby

Jovian

Oasis



Wisdom



Compassion



Gazebo



Penny



Terrestrial



Nebula



Mist



Sand Dune



Balance



Eclipse



Fathom



Virtual



Isle



Fresh



Bay

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

# gold fabrics | \$\$\$

## Spree

Width: 72"

Repeat: 13.5" H x 37.125" V

Shown: Railroaded

Content: 45.71% FR Polyester,  
23.59% PC Recycled Polyester,  
23.59% PI Recycled Polyester,  
7.11% Polyester

Note: HHI + LBC Red List Compliant



Silver Dew

## Tango

Width: 72"

Repeat: 22.625" H x 12.188" V

Shown: Railroaded

Content: 45.2% FR Polyester,  
27.4% PC Recycled Polyester,  
27.4% PI Recycled Polyester

Note: HHI + LBC Red List Compliant



Embrace

## To and Fro

Width: 72"

Repeat: 14" H x 20.5" V

Shown: Vertically Seamed

Content: 54% FR Polyester,  
46% Polyester



Dune

## Windmill

Width: 72"

Repeat: 25.75" H x 72" V

Shown: Railroaded

Content: 44.7% FR Polyester,  
27.65% PC Recycled Polyester,  
27.65% PI Recycled Polyester

Note: HHI + LBC Red List Compliant



Auburn



Sunset Orange



Morning Sun



Follow



Lead



Cirrus



Cashmere



Chroma



Haze



Cloudy Blue




Valley Brown



Ecru



Reed



Herbal



Sky Writer

🌿 Sustainable Fabric 🚚 Quick Ship Fabric 🕒 24 In Stock (24hr Curtain) ⭐ Exclusive Fabric

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# silver fabrics | \$\$



Visit [inpro.com/curtains25](https://inpro.com/curtains25) for full offering of patterns and colorways.

## Flare

Width: 72"

Repeat: 27" H x 27" V

Shown: Vertically Seamed

Content: 47% Polyester, 53% FR Polyester



## Fossil

Width: 72"

Repeat: 13" H x 15.25" V

Shown: Vertically Seamed

Content: 100% Polyester



## Mingle

Width: 72"

Repeat: 13.5" H x 6.4" V

Shown: Vertically Seamed

Content: 47% Polyester, 53% FR Polyester



## Optic

Width: 72"

Repeat: 37" H x 36" V

Shown: Vertically Seamed

Content: 100% Polyester, VISA finish

(Visa® finish resists stains so dirt and discoloration disappear after washing.)

Optic is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.




Composed

Ecru

Meld


Tissot




Noble



Welcome



Taupe




Sunshine



Green Tea



Merge



Blend



Alto



Cymbal



Frost



Mango



Abalone



Lavender



Fuse



Unite



Breeze



Mercury



Periwinkle



Turquoise



Emerald



Sky Blue



Ocean



Iris



Fog



Seafoam



Arctic



Buttercream

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.



# silver fabrics | \$\$

## Raven Blackout

Width: 55"

Repeat: 0" H x 0" V

Shown: Vertically Seamed

Content: 100% Polyester FR Blend



## Serene Dim Out

Width: 58"

Repeat: 0" H x 0" V

Shown: Vertically Seamed

Content: 100% Polyester, FR, Reversible



## Shuffle

Width: 72"

Repeat: 13.5" H x 16.8" V

Shown: Vertically Seamed

Content: 100% Polyester

(Visa® finish resists stains so dirt and discoloration disappear after washing.)

Shuffle is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.





## Whimsy

Width: 72"

Repeat: 13.5" H x 13.5" V

Shown: Railroaded

Content: 47% Polyester, 53% FR Polyester



🌱 Sustainable Fabric 🚚 Quick Ship Fabric 🕒 24 In Stock (24hr Curtain) ✳ Exclusive Fabric ⚠ Limited Stock ➕ New Color

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# bronze fabrics | \$



Visit [inpro.com/curtains25](http://inpro.com/curtains25) for full offering of patterns and colorways.

## Boardwalk

Width: 72"

Repeat: .63" H x .5" V

Shown: Railroaded

Content: 100% Polyester

*(Visa® finish resists stains so dirt and discoloration disappear after washing.)  
Boardwalk fabric is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.*



## Madison

Width: 72"

Repeat: 1" H x 0.07" V

Shown: Vertically Seamed

Content: 52% Repreve® PC Polyester,  
48% Polyester

*(Visa® finish resists stains so dirt and discoloration disappear after washing.)  
Madison fabric is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.*



## Orbitz 2


Width: 72"

Repeat: 1.5" H x 0.69" V

Shown: Railroaded

Content: 100% Polyester

*(Visa® finish resists stains so dirt and discoloration disappear after washing.)  
Orbitz is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.*



Blue Moon

Shadow

Federal



Chablis



Buff



Chiffon



Taupe



Natural




Oatmeal



Cookie



Nickel



Cookie



Surf



Willow



Cactus



Graphite



Taupe



Buff



Trail



Taupe



Ecru



Caramel



Cookie



Mink



Spa



Orchid



Coastal



Caramel



Sage



Zephyr



Tuscan



Chestnut



Godiva

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

# bronze fabrics | \$

## Simplicity

Width: 72"

Repeat: 0" H x 0" V

Shown: Railroaded

Content: 100% Polyester

(Visa® finish resists stains so dirt and discoloration disappear after washing.)

Simplicity is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.



## Sofetti

Width: 72"

Repeat: 0" H x 0" V

Shown: Railroaded

Content: 100% Polyester FR Blend

Sofetti fabric is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.



## Spunk

Width: 72"

Repeat: 0" H x 0" V

Shown: Railroaded

Content: 100% Polyester FR Blend

Spunk is treated with an antimicrobial agent that inhibits and controls mold and mildew growth.



## Windsor

Width: 72"

Repeat: .375" H x .375" V

Shown: Railroaded

Content: Avora FR Blend Polyester



Stingray



Natural Tara Taupe Palm



Buff Nutmeg Cookie Chestnut




Snow Raffia Penny Cinnamon



Mint Greenmist Spa Willow



Threshold Misty Haven Pavestone



Blue Moon Delft Hydro

Blue Skies



Clouds Chamomile



Exhale Meadow




Pebble

Beachsand



Baltic Beeswax Celestial



Driftwood Ginger Graphite




Honey Patina Peacock




Pearl Grey Seaglass


Cork




Linen Sand Oatmeal




Petal Iron Maple




Gull Harvest Malt



Pearl Copen Pacific



Kiwi Spruce Fern



Eggplant Marine

♻️ Sustainable Fabric 🚚 Quick Ship Fabric 24 In Stock (24hr Curtain) ✳ Exclusive Fabric

📄 For full offering of colors and to order FREE samples for a more accurate color representation, visit [inpro.com/curtains25](https://inpro.com/curtains25)

# **fabric choices** should be limitless

You have a vision for your building. The fabric you choose for your soft goods should fit that vision perfectly. At Inpro, we don't want to hinder your design by limiting your choices. Not seeing what you're looking for in our program fabrics? Not a problem. We work with all major textile manufacturers and can help you find the ideal fabric to complement your design. Ask your sales representative for more details.

ArcCom  
Architex  
Carnegie  
CF Stinson  
Coral  
Design Craft  
DesignTex  
Fabricut

Guilford of Maine  
Hanes  
Integra  
Interspec  
Knoll  
Maharam  
Master Fabrics  
Mayer

Momentum  
Pallas  
Panaz  
Robert Allen  
Tanatex  
Wolf Gordon  
...and many more!






**Shield By Panaz® in Malt, Deco**

# Expertly Crafted **Drapery + Top Treatments**

When you choose Inpro for your drapery and top treatment needs, you choose a dedicated team committed to your success. We have multiple production facilities to make window coverings to your specification and our team will be with you every step of the way to make sure your products are fabricated with expertise.



**Ascent Uptown Apartment Complex | Charlotte, NC**  
Custom Drapery





# drapery

## styles




**Ripplefold**



**Pinch Pleat**



**Grommet Top Panel**



**2-Prong Euro Pleat**



**Box Pleat**




**Flat Panel**



Visit [inpro.com](https://inpro.com) to view our full offering of styles and fabrics.





### **Wishful Sheers!**

Need a sheer fabric for drapery + top treatments? Check out our Wishful Sheer fabric option in two colors, Marble and White.

**Sunbrella Headquarters | Burlington, NC**  
Custom Drapery

# top treatments

## cornice boards



**Straight**



**Arched**




**Angled**


## valances



**Stationary Roman**



**Sheffield**



**Box Pleat**



**Straight Rod Pocket**



Visit [inpro.com](http://inpro.com) to view our full offering of styles and fabrics.













# washroom systems

**easy to clean**

All our washroom systems are made from non-porous materials that fight against the growth of mold, mildew, and bacteria.

**long-lasting durability**


Keep your washrooms looking great! Our stain resistant materials will keep your space looking new.

**custom sizes**

Because we manufacture all our washroom materials, we're able to produce custom sizes. Whether it's big or small, we've got you covered!








# Durable **Solid Surface Solutions.**

Our Prism™ Solid Surface and customized solutions fortify your showers and restrooms against commercial demands while keeping them clean. Prism™ has a repairable finish that can be renewed, and does not support the growth of mold, mildew, or bacteria, making it easy to clean and maintain. Whether you have a renovation or a new construction build on your hands, we have experts ready and available to help you choose the perfect solution for your project, standard options and ADA-compliant solutions.



**Purdue University | West Lafayette, IN**

Prism™ Solid Surface Shower Walls, Deco Wall Panels, Front Trench Drain Shower Base





# Prism™ Solid Surface **Shower Walls**

## Defiers of dirt.

Not anymore. Our Prism™ Solid Surface and customized solutions fortify your showers and restrooms against commercial demands while keeping them clean. These aren't your run-of-the-mill washroom systems.



**Material:** Proprietary Prism™ Solid Surface Formula



**Fire Safety:** Class A Rated, ASTM E84



**Chemical Resistance:** ANSI Z124-2011, Pass



**Fungal + Bacterial Resistance:** ASTM G21 and G22



**Impact Resistance:** NEMA LD-3-3.3 1/2lb. ball 118" (3.0m) drop



**Air Quality:** GREENGUARD® Certified



**Environmental:** HPD, EPD



**Colors + Finishes:** 28 Colors (See page 214)


## disinfecting agents

We tested the following EPA registered disinfectants by submerging our Prism™ Solid Surface material for seven days.

**The results? No effect on color or durability.**

- Bleach (undiluted)
- Isopropyl Alcohol
- Lysol®
- Hydrogen Peroxide
- Clorox® Germicidal Bleach 8.25%
- All Purpose Virex®
- QT® Plus

Visit pg. 195 for Prism™ shower wall size options.



### Easy to Maintain!

Prism™ Solid Surface promotes longevity. It's simple to clean and maintain with no grout or loose tiles.

**Bethany Village | Centerville, OH**  
Prism™ Solid Surface Front Trench Drain Shower Base, Prism™ Decorative Shower Walls

# Prism™ Solid Surface **Shower Walls**

Prism™ Wall Cladding is also great for areas outside the shower such as washroom walls, operating rooms and other sterile environments. No grout makes for simple maintenance and easier installation.

[Visit \*\*inpro.com/DecoWalls25\*\*](https://inpro.com/DecoWalls25) or [contact a representative to learn more.](#)



**Smooth Panel**



**Subway**  
3" x 6" (76mm x 152mm)



**Square Panel**  
4", 8", 12" (102mm, 203mm, 305mm)



**Horizontal**  
6" x 24" (152mm x 609mm)



**Custom Chevron Panel\***  
3" x 6" (76mm x 152mm)



**Custom Hexagon Panel\***  
6" x 6" (76mm x 152mm)


\*Custom design virtually any pattern! (Some limitations apply.)

## wall seam options



### **Soft Seam With Batten Strip**

Silicone Sealant is used where panels meet. The Batten Strip is commonly used with this option to cover the soft seam.



### **Hard Seam With Wavy Edge**

The wavy edge creates an inconspicuous hard seam that creates a flush surface, which helps to prevent mold and mildew growth.



# Shower Wall Trim

Trim pieces make installation easier and complete the look of your shower system. Available in all Prism™ Solid Surface colors. Custom trim available upon request.



## 1. Inside Wedge Corner Molding

DSICP1\*\*

1" x 1/4" (25mm x 6mm)

Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)



## 2. Outside Corner Molding

DSOCP1\*\*

1" x 1" x 1/4" (25mm x 25mm x 6mm)

Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)



## 3. Batten Strip

DSBSP\*\*

2 1/2" x 1/4" (64mm x 6mm)

Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)



## 4. Panel Molding

DSPMP\*\*225

2 1/4" x 1/2" (57mm x 13mm)

Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)



## 5. Perimeter Trim

DSPTP\*\*250

2 1/2" x 1/2" (64mm x 13mm)

Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)



## 6. Outside Corner Perimeter Trim

DSPOCP\*\*250

2 1/2" x 1" (64mm x 25mm)

Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)



## 7. Beveled Edge Trim

ENCMU0\*\*

1" x 1/2" (25mm x 13mm)


Lengths: 84" (214cm), 96" (244cm), 108" (275cm), 120" (305cm)

Not shown in diagram.

## wall sizes

With in-house manufacturing, we can meet your needs. Our walls are larger than industry standards which can reduce the number of seams as much as 30%.

Custom sizes are available upon request.



**Prism™ Max\***

48" x 120"

(1219mm x 3048mm)

**Industry Max**

30" x 96"

(761mm x 2464mm)

## Prism™ Solid Surface

### 1/4" (6mm) Thickness available in:

Widths: 30", 36", 48", 60"\*\*

Lengths: 84", 96", 108", 120"

Widths (mm): 762, 914, 1219, 1524\*

Lengths (mm): 2134, 2464, 2748, 3048

## Prism™ Veined Solid Surface

### 1/4" (6mm) Thickness available in:

Widths: 36" (91cm), 48" (122cm)

Length: 108" (275cm)

Limited trim available.

\*60" (1524mm) wide panels are only available in lengths of 96" (2464mm) or less.



Once you become  
Fearless  
Life becomes  
Limitless



**Fitness Center | Locker Room**

Prism™ Solid Surface Front Trench Drain Shower Base, Prism™ Shower Walls + Partitions

# shower base

## selection guide

Our Prism™ Solid Surface shower bases are the footprint of your shower system. Whether it's meeting strict ADA guidelines or having the ability to move the drain location or budget constraints, we have the shower base that fits your unique needs.



	Standard Shower Bases	Custom Shower Bases
Cost Index*	\$\$	\$\$\$
Material	Prism™ Solid Surface	Prism™ Solid Surface
Variable Drain Location	Pre-set	✓ Maximum or ADA sizes may require central drain location
Sizes	Pre-set	Up to 72" W x 60" D (1829mm x 1524mm) Round Up to 72" W x 48" D (1829mm x 1219mm) Trench
Drain Options	Round	Round or Trench
Drain Type	Standard, Ligature Resistant**	Standard, Tamper Resistant**, Screw Trench, Magnetic Trench, Tamper Resistant** Trench
ADA Compliant Designs Available	✓ Available	✓ Available
Shapes	Square, Rectangle, Neo-Angle Only	Standard + Custom
ADA Install On-Slab***	✓ Available	✓ Front Trench Drain Only



Need a visual? Visit [inpro.com/ShowerBases25](https://inpro.com/ShowerBases25) to see the differences between our standard and custom bases.

\*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

\*\*This product does not guarantee patient safety.

\*\*\*Finished flooring must be floated as needed for ADA compliance. See installation instructions for details.





**Splash! Swim + Wellness | Mequon, WI**  
Prism™ Solid Surface Shower Walls, Shield by Panaz® Shower Curtains in Aloft, Shadow

# Standard Shower Bases

Standard shower bases are cast, one-piece construction products with a fixed size, threshold and drain location. These bases come with a round drain and a double water barrier. All bases meet typical bariatric load ratings.



**36" x 36" Transfer**  
DSTRSHR36 - 36" x 36"  
(914mm x 914mm) (inside clear)  
Our ADA standard sized model boasts a low threshold under 1" (25mm) installed on grade, requiring less floating of the floor for compliance.

**Install On-Slab\*\***



**60" x 30" Roll-in Shower Base**  
ENSR6030ROLL - 60 3/8" x 30 1/4"  
(1766mm x 768mm) (inside clear)  
Our 60" x 30" (1524mm x 762mm) Roll-in Shower bases allow for individuals to use wheelchairs within the shower. Installed on grade, requiring less floating of the floor for compliance.

**Install On-Slab\*\***



**Rectangular**  
DSCSRP3042MOLD - 30" x 42" (762mm x 1067mm)  
DSCSRP4236MOLD - 42" x 36" (1067mm x 914mm)  
Maximize your space with this efficient rectangular design. It's great for multiple showers in a smaller space.



**Square**  
DSCSRP3232MOLD - 32" x 32" (813mm x 813mm)  
DSCSRP3636MOLD - 36" x 36" (914mm x 914mm)  
This shower base is perfect for large projects with consistent layouts.



**42" x 42" Neo-Angle with Wing Walls**  
ENSR4242NAW 42" x 42" (1067mm x 1067mm)  
Corner unit shower base designed to accommodate 2 partial 15" (38.1cm) walls and appropriate plumbing.



**Tub Replacement**  
DSCSRP6032MDR (right)  
DSCSRP6032MDL (left)  
60" x 32" (1524mm x 813mm) right or left.  
Perfect for renovation projects that require converting old bathtubs into showers.

## drain types




**Standard Drain**  
Standard with our bases.  
4 1/2" (114mm)  
Polished Stainless Steel Snap-On Strainer.



**Ligature Resistant\* Drain**  
Stainless steel strainer designed to damper creation of ligature points.  
Tamper resistant screws included.

## water barrier



**Double Water Barrier**  
Lower surrounding walls on top of the ledge created by the Double Water Barrier for easy installation.  
Used for all Shower Bases.

\*This product does not guarantee patient safety.

\*\*Finished flooring must be floated as needed for ADA compliance. See installation instructions for details.



**GI Associates Clinic | Stevens Point, WI**

Prism™ Solid Surface Decorative Panel Shower Walls + Accessories

# Custom Shower Bases

These shower bases are custom made to your specifications. The size, shape, threshold and drain location can be modified. All bases meet typical bariatric load ratings.

- Sizes up to 72" W x 60" D (1829mm x 1524mm) for Round Drain
- Maximum or ADA sizes may require central drain location
- Easily match existing plumbing with custom drain locations

## style options

Choose the shape of your shower base.



**Square/Rectangle**



**Neo-Angle**



**Custom**

## threshold options

The threshold is the barrier at the entrance of a shower. All are shown here in the Square/Rectangle shape shower base. No threshold option also available. Ask rep for details.



### **Narrow Threshold**

Our narrow curb provides superior water containment while maximizing floor space within the shower.



### **ADA Threshold**

Our ADA-compliant threshold features a 2:1 bevel in and out of the shower.

## drain types

Round Drain Options



### **Standard Drain**

Standard with our bases.  
4 1/2" (114mm)  
Polished Stainless Steel  
Snap-On Strainer.



### **Ligature Resistant\* Drain**

Stainless steel strainer designed to damper creation of ligature points.  
Tamper resistant screws included.

\*This product does not guarantee patient safety.

## drain location

Drain may be placed off center to accommodate plumbing needs.







**Texas A&M University | College Station, TX**  
Custom Prism™ Solid Surface Shower Base, Prism™ Shower Walls + Partitions

# Trench Shower Bases

These shower bases are custom made to your specifications. The size, shape, threshold and drain location can be modified. All bases meet typical bariatric load ratings.

- Sizes up to 72" W x 60" D (1829mm x 1524mm)



## Front Trench

¾" thick leading edge

Molded water channels in the base direct the flow of water to the trench grate, preventing water from escaping.



## Middle Trench

Multiple threshold options including ADA and Narrow curb profiles.

Flexible drain placement to accommodate for existing plumbing, making it ideal for renovations.



## Rear Trench

Multiple threshold options including ADA and Narrow curb profiles.

Updated design with water channels redirecting water towards the rear of the shower and away from washroom floors.

## grate types

Trench Drain Grate Options



### Standard Trench Grate Screw Down or Magnetic

Can either be held down with screws to prevent tampering\* or by magnets to easily remove to clean.



### Tamper Resistant\* Trench Grate

Features small holes to hinder tampering or hiding of contraband. Secured using Tamper Resistant\* screws.

\*This product does not guarantee patient safety.

## drain location

Drain may be placed off center to accommodate plumbing needs.



Visit [inpro.com/ADAbases25](https://inpro.com/ADAbases25) to learn more about our ADA shower bases.



**St. Vincent De Paul Family Resource Center | Phoenix, AZ**

Prism™ Solid Surface Shower Walls, Custom Prism™ Solid Surface Front Trench Drain Shower Bases



# renovating

## your communal shower space?

As privacy is prioritized, communal showers are being converted to more efficient individual shower compartments. Our shower base connector and extender are ideal for converting large shower areas into more private shower spaces.




**Colby College Athletics Center | Waterville, ME**  
Molded Transfer Shower Bases, Shower Base Connector, Smooth Shower Wall Panels





## Shower Base Connector

Use our Shower Base Top and End Cap to keep the area between two shower bases hidden and sealed.



## Extender

Use our extender for shower bases of different lengths that are side-by-side.

# Prism™ **Veined** Solid Surface

## Smooth + Clean Shower Walls.

Give your washrooms a face-lift with the elevated aesthetic, feel + function of Prism™ Veined Solid Surface Wall Panels. Great for shower walls or wall cladding in your commercial washrooms.

### 22 42 23 | Commercial Showers



**Material:** Acrylic Based Solid Surface



**Fire Safety:** Class 1A Fire Rated



**Chemical Resistance:** ANSI Z124



**Fungal + Bacterial Resistance:** ASTM G21 and G22



**Impact Resistance:** ASTM D5420-10



**Environmental:** GREENGUARD® Certified



**Finishes:**



Linear  
Mist



Linear  
Haze

### Shower Bases and Accessories Finishes:



Taupe  
*Pairs with  
Linear Mist*



Bone  
*Pairs with  
Linear Haze*

Visit pg. 195 for size options.





**Prism™ Veined Solid Surface Shower Walls in Linear Mist**

# Prism™ Solid Surface Partitions

showers + toilets

Our Prism™ Solid Surface partitions not only look good, but will save you time and money on ongoing maintenance. Add solid surface trim and continuous hardware that seamlessly blend into partitions for additional privacy.




## **Floor Mounted Overhead-Braced**

Allows for easy installation of partitions into an existing space or renovation.



## **Floor-to-Ceiling**

Provides three points of partition support for maximum durability and a clean-line aesthetic.



 Visit [inpro.com/Partitions25](https://inpro.com/Partitions25) to learn more.





**Shopping Center | Restroom**

Floor Mounted Overhead-Braced Partitions with Privacy Trim +  
Custom Decorative Prism™ Solid Surface Panels

# Washroom Accessories

Add functionality to your Showers + Restrooms.

## grab bar



ADA

### Straight

DSGB\*\*ADA-STN

Stainless Steel

Lengths: 12", 16", 18", 24", 30", 32", 36", 42", 48"  
(305mm, 406mm, 457mm, 610mm, 762mm, 813mm, 914mm, 1067mm, 1219mm)  
1 1/4" (32mm) in diameter and rest 1 1/2" (38mm) away from the wall.  
Supports up to 330 lbs.



ADA

### Ligature-Resistant\*

DSGBANTIL\*\*

Stainless Steel

Lengths: 18", 24", 36", 42"  
(457mm, 610mm, 914mm, 1067mm)  
1 1/4" (32mm) in diameter  
Supports up to 330 lbs.



ADA

### Straight

DSGBVST\*\*-WHT

Vinyl-Coated

Lengths: 12", 16", 18", 24", 30", 32", 36", 42", 48"  
(305mm, 406mm, 457mm, 610mm, 762mm, 813mm, 915mm, 1067mm, 1219mm)  
Supports 450+ lbs.  
Provides an exceptional grip. All vinyl-coated grab bars include a metal or reinforced nylon flange equipped with multiple hardware holes for easy installation.



ADA

### Bariatric Straight

DSGB\*\*BAR-WHT

Lengths: 16", 18", 24", 36", 42", 48", 52", 54"  
(406mm, 457mm, 610mm, 915mm, 1067mm, 1219mm, 1321mm, 1372mm)  
Supports 1000+ lbs.

## soap dishes



### Large Diamond Corner Soap Dish

DSCRSDDL

10 1/4"W x 7 1/4"H  
(260mm x 184mm)



### Small Wedge Soap Dish

DSCRSDDP

4 1/2"W x 4 1/2"H  
(114mm x 114mm)



### Soap Shelf

DSSHPS: 5"H x 5"W

(127mm x 127mm)  
DSSHPL: 8"W x 8"H  
(203mm x 203mm)



### NEW! 8x16 Toiletry Shelf

EN0816TSHELF

8"W x 16"H  
(203mm x 406mm)



### 10x16 Toiletry Niche

EN1016TNICHE

10"W x 16"H  
(254mm x 406mm)



### 12x16 Toiletry Shelf

DSPTS1218

12" W x 18"H  
(457mm x 305mm)



### Large Corner Shower Caddy

DSLCRNSHC

10 1/4"W x 20"H  
(260mm x 508mm)

\*This product does not guarantee patient safety.

Visit pg. 146 to view our shower curtain fabric selection.



Visit [inpro.com/ShowerAccessories25](http://inpro.com/ShowerAccessories25) to view all shower seats, grab bars and accessories.

## shower seats



**Rectangular Phenolic Shower Seat with Legs**  
EN275RECSEAT-WH  
27½" x 15¾"  
(698.5mm x 400.05mm)  
Supports up to 550 lbs.



ADA

**Folding L-Shaped Phenolic Shower Seat with Legs**  
DSGBFLDSST-LH  
DSGBFLDSST-RH  
31 ½" x 22 ⅞" (800mm x 581mm)  
Supports up to 550 lbs.  
Created, but not limited to, trench drain applications.



ADA

**Bariatric Folding Seat With Legs**  
Left: DSGBSSLBAR-PH  
Right: DSGBSSRBAR-PH  
18" x 22 ⅝" x 31 ½"  
(457mm x 575mm x 800mm)  
Supports 1000+ lbs.





**Patient Room | Washroom Accessories**

# Prism™ Solid Surface Colors

\$ Class A   \$\$ Class A1   \$\$\$ Class B   \$\$\$\$ Class C

*All colors are available for wall panels and partitions unless noted otherwise.*

 Available for Shower Bases + Caddies    Prism™ Veined available for Wall Panels Only (no partitions)



Bright White | A


White Sand | A

Antique White | A

Taupe | A

Shadow | A

Bone | A



Frosted White | A1

Arid | A1

Haven | A1

Quarry | A1

Dusk | A1

Wool | A1



Natural Linen | B

Sandbar | B

Candlelight | B


Glacier | B

 Order FREE samples at [intro.com/PrismSamples25](https://intro.com/PrismSamples25) for a more accurate color representation.

The standard finish on light colors is matte and the standard finish on medium and dark colors is satin. Customize your chip color for personalized branding. Please contact your Sales Representative to learn more.

Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.






Angora | B




Breeze | B



Dolomite | B



Lunar | B



Milkyway | B



Nova | B




Parchment | B




Rainstorm | B



Risotto | B



Sculpture | B



Shoreline | B



Stratus | B



Linear Mist | C



Linear Haze | C

# architectural **signage**

## **design forward**

As experts in developing building interior solutions, we are adept at crafting sign programs that harmonize flawlessly with any design. Select from our array of standard colors, woodgrains and patterns or make it your own with custom logos and imagery.

## **ada compliant**

Navigating the specifics of the Americans with Disabilities Act (ADA) can be daunting, not to mention costly. We help create a compliant project and can manage it through installation to avoid fines.

## **additional services**

We possess the necessary expertise and established processes to seamlessly orchestrate every aspect of your project. With our comprehensive installation services and a committed estimating department, rest assured that we've got you covered every step of the way!



# Signage **Made Simple.**

At Inpro, we specialize in durable, aesthetically appealing signage solutions tailored for commercial buildings. With expertise in ADA compliance and a range of design options, we lead the industry in signage innovation. Our dedicated inside sales team, estimating department, and professional installation services ensure efficient project management. From overhead signs to donor walls and dimensional letters, we handle every detail, supporting your project with fast lead times and comprehensive estimating services.



**Crossing Rivers Health | Prairie du Chien, WI**  
Sedona™ Palladium® Sign





# Architectural Signage

## Your Sign. Your Way.

Our passion revolves around crafting dependable architectural signage that people can trust. With an extensive array of design possibilities at our disposal, coupled with our deep expertise in ADA compliance, we proudly lead the way in delivering innovative and top-notch sign solutions.

### 10 14 00 | Signage



**Face Material:** .060" (2mm) Palladium® Rigid Sheet, .118" (3mm) non-glare PETG with photopolymer text, or .118" (3mm) non-glare clear acrylic



**Chemical Resistance:** ASTM D-543



**Fungal + Bacterial Resistance:** ASTM G-21 and ASTM G-22



**Indoor Air:** Inpro Palladium® - GREENGUARD® Certified, GREENGUARD® Product Emission Standard for Children & Schools Photopolymer - Certified Clean Air Gold List



**Environmental:** No phthalates



**Colors + Finishes:** Standard Solid Colors, Woodgrains, Patterns and Custom Imagery



Visit [inprocorp.com/Signs25](https://inprocorp.com/Signs25)






# ST. VINCENT DE PAUL ROOM




# Standard Sign Designs

To make sign selection easy, choose from one of our Standard Sign Designs. These designs are available in all five sign types: directional, identification, informational, regulatory and directory. They can also be customized with your choice of materials, colors + finishes.


 face-plate  
  back-plate  
  border/accent




Aspen™ 1




Aspen™ 2




Barcelona™




Phoenix™ 1




Phoenix™ 2




Florence™ 1




Florence™ 2




Boston™




Savannah™ 1



Savannah™ 2




Sydney™ 1




Sydney™ 2




Manhattan™




Santa Cruz™



Seoul™



Sedona™



Zurich™






**Fitness Center | Locker Room**  
Phoenix™ Regulatory Photopolymer Sign

## sign types

Our Standard Sign Designs are available in different sign types to coordinate across your building. Barcelona™ Standard Sign Design with backplate shown below.



**Identification**



**Regulatory**




**Informational**



**Directional/Directory**

# Aspen<sup>TM</sup> collection



ADA REGULATORY



MODULAR DIRECTORY



INFORMATIONAL  
WITH WINDOW



ADA IDENTIFICATION



ADA IDENTIFICATION  
WITH SLIDER

Shown in: Photopolymer Material | Shiprock Face-Plate | Designer White Text

# Barcelona<sup>TM</sup> collection



ADA REGULATORY



INFORMATIONAL WITH  
MODULAR WINDOW



ADA REGULATORY



ADA REGULATORY

Shown in: Palladium® Rigid Vinyl Material | Pewter Gray Face-Plate | Platinum Metallic Back-Plate | Designer White Text

# Boston<sup>TM</sup> collection




Standard



| ADA REGULATORY



| INFORMATIONAL



| ADA IDENTIFICATION  
MAGNETIC MODULAR



| ADA IDENTIFICATION



| DIRECTIONAL

Shown in: Photopolymer Material | Truffle Face-Plate | Woodgrain Amber Cherry Back-Plate | Brushed Silver Text

# Florence<sup>TM</sup> collection



Standard



Optional  
Back-plate



| ADA REGULATORY



| DIRECTIONAL



| INFORMATIONAL  
WITH WINDOW



| ADA IDENTIFICATION



| INFORMATIONAL

Shown in: Palladium® Rigid Vinyl Material | Taupe Face-Plate | Urbanwood Back-Plate | Designer White Text

# Manhattan™

collection




| ADA REGULATORY



| ADA IDENTIFICATION



| INFORMATIONAL




| ADA IDENTIFICATION  
WITH WINDOW

Shown in: Photopolymer Material | Antique White Face-Plate | Wisp Back-Plate | Black Text | Black Accent Strip

# Phoenix™

collection




| ADA REGULATORY



| MODULAR DIRECTIONAL



| INFORMATIONAL  
WITH WINDOW



| ADA IDENTIFICATION



| ADA IDENTIFICATION

Shown in: Palladium® Rigid Vinyl Material | Designer White Face-Plate | Brushed Silver Back-Plate | Medium Gray Text | Digitally Printed Logo



# Santa Cruz™ collection



Standard



| ADA REGULATORY



| DIRECTIONAL




| ADA IDENTIFICATION



| ADA IDENTIFICATION  
WITH WINDOW

Shown in: Palladium® Rigid Vinyl Material | Gala Face-Plate | Ashwood Plank Accent | Black Text | Black Backplate (exposed)

# Savannah™ collection



Standard  
Optional  
Back-plate



| ADA REGULATORY



| INFORMATIONAL  
WITH WINDOW



| DIRECTIONAL




| ADA IDENTIFICATION  
WITH WINDOWS



| ADA IDENTIFICATION

Shown in: Palladium® Rigid Vinyl Material | Chino Face-Plate | Custom Printed Pattern Back-Plate | Designer White Text


# Sedona™ collection



ADA REGULATORY



INFORMATIONAL



ADA MODULAR IDENTIFICATION



ADA IDENTIFICATION WITH WINDOWS




ADA IDENTIFICATION

Shown in: Palladium® Rigid Vinyl Material | River Rock Face-Plate | Patterns Fiber Stone Back-Plate | Designer White Text

# Seoul™ collection



ADA REGULATORY



DIRECTIONAL



MODULAR DIRECTORY




INFORMATIONAL WITH WINDOW




ADA IDENTIFICATION

Shown in: Palladium® Rigid Vinyl Material | Ashwood Plank Face-Plate | Patterns Brushed Silver Back-Plate | Black Text

# Sydney™ collection




ADA REGULATORY



INFORMATIONAL WITH  
MODULAR WINDOWS



ADA IDENTIFICATION  
MAGNETIC MODULAR



DIRECTIONAL



ADA IDENTIFICATION

Shown in: Palladium® Rigid Vinyl Material | Feather Face-Plate | Woodgrain Coffee Bean Back-Plate | Brown Text | Digitally Printed Logo

# Zurich™ collection



ADA REGULATORY



ADA IDENTIFICATION



DIRECTIONAL



INFORMATIONAL  
WITH WINDOW



ADA IDENTIFICATION  
WITH WINDOWS

Shown in: Palladium® Rigid Vinyl Material | Cadet Blue Face-Plate | Brushed Silver Back-Plate | Designer White Text

# streamlined **sign solutions.**

At Inpro, we're obsessed with streamlined sign solutions, leading you from concept to completion. Our team enhances your project by offering comprehensive design services, dedicated estimating support, and seamless installation services, while our in-house designer collaborates with you to select the perfect colors that bring your vision to life.



**Carroll University | Waukesha, WI**  
Phoenix™ Identification Acrylic Sign



## Inpro Services

We have the expertise and processes in place to ensure everything comes together to make your project a success. Here's an idea of what you can expect:


- Dedicated Inside Sign Sales Team
- Estimating Department
- Installation Service
- Design Team
- Mockups for Pre-Production/Approvals
- Fast Industry Leadtime



## Estimating Services

We provide comprehensive estimating services.

- Placement Plans
- Takeoffs
- Illustrations
- Sign Schedule for Approval
- Samples (by request)



## Installation Services

We're here to simplify and streamline installation.

- All details coordinated and handled by us
- Signs will be installed per ADA requirements
- Overhead, Donor Walls, Dimensional Letters and other Specialty Signs also installed



# Signage Materials

We offer a variety of material options so you can customize your facility's signage to get the look you want and the performance you need.



## Palladium® Rigid Vinyl

Available in a wide variety of Standard Solid Colors, Woodgrains and Patterns, our Rigid Vinyl is made from the same durable material as our Wall Protection. Applied tactile text and Grade 2 Braille for ADA compliance. Logos or custom imagery can be applied to carry your brand throughout your facility.



## Applied Acrylic

This non-glare acrylic material is sub-surface painted or printed with applied tactile text and Grade 2 Braille for ADA compliance. Applied Acrylic signs can be designed to match any interior aesthetic.



## Photopolymer

Photopolymer is a one-piece, vandal-resistant sign with integral tactile text and Grade 2 Braille for ADA compliance. Face can be painted or printed to any color of your choosing.



**Friendship Learning Center | North Fond du Lac, WI**  
Zurich™ Regulatory Palladium® Sign

# Digitally Printed Signage

Want to bring your brand to life? Print images on your sign to display your message uniquely. Whether it's graphics, logos, or printed designs, we're here to assist you in realizing your perfect sign concept.







# Specialty Signage

When your signs need to do more than provide direction.

# B

## Exterior Grade Dimensional Characters

Bring dimension to your message with dimensional characters that are available in both exterior and interior grade options.



## Activity Calendar

Clear windows let you showcase the events of the month and easily change them out as needed. Choose from colors, patterns and text options that coordinate with your signs.

# A

## Palladium® Rigid Vinyl Dimensional Characters

Interior use only. Made with Rigid Vinyl.



## Menu Boards

Communicate and rotate daily menu options with ease using our 3 window Menu Board. Select from numerous design options to match the look of your facility.



## Donor Recognition Board

Celebrate the people that help make your facility prosper by displaying their names on our Donor Recognition Board.

 Visit [inprocorp.com/SpecialtySigns25](http://inprocorp.com/SpecialtySigns25) to learn more!



**WI Institute of Urology | Neenah, WI**  
Dimensional Characters

# Palladium® Colors

Use the following finishes to create your perfect sign system.

**Palladium® Rigid Vinyl:** Woodgrains, Metallics, Patterns + Standard Solid Colors

**Acrylic:** Standard Text Colors, Painted and Print with Standard + Custom Colors

**Photopolymer:** Standard Solid Colors, Custom Solid Colors

(Paint Matched, not shown), Photopolymer Text Colors and Specialty Materials

Face-Plate

1

Back-Plate

2

(Optional depending  
on shape)

Text

3




## Woodgrains

Palladium® Rigid Vinyl Signage - face-plate, back-plate + text. Photopolymer Signage - backplate only.



## Metallics



## Patterns

More colorways in select patterns are available at [inpro.com](http://inpro.com)




To view color offerings for specific products visit [Inpro.com](http://Inpro.com)



Order FREE samples at [inpro.com/SignColors25](http://inpro.com/SignColors25) for a more accurate color representation.



## Standard Solid Colors



 Order FREE samples at [inpro.com/SignColors25](https://inpro.com/SignColors25) for a more accurate color representation.


# Photopolymer + Acrylic Text Colors

Use the following finishes to create your perfect sign system.


**Acrylic:** Painted with Standard + Custom Colors

**Photopolymer:** Standard Solid Colors, Custom Solid Colors (Paint Matched, not shown), Photopolymer Text Colors and Specialty Materials



## Photopolymer Text Colors



## Acrylic Text Colors



## Photopolymer **FACE-PLATE ONLY** Specialty Materials



Scan me to  
order **FREE** samples.



# Wall Art

more than just  
a pretty picture.

Incorporate imagery within your space to create a positive experience for people who use your building. Wall Art is completely customizable so you can choose impactful photography, logos, or colors to align with your brand.



**Crossing Rivers | Prairie du Chien, WI**  
Wall Art + Stand-off Mounting







# Image Selection

To make your job a little easier, we have preselected image galleries based on theme.

 [Visit inpro.com/WallArt25](https://www.inpro.com/WallArt25) to view our image gallery.

**Wellness**



**Urban Living**



**Rustic**



**Pacific Coastal**



**Great Plains**



**Southern Soul**



**Pediatrics**



**Behavioral Health**



**Memory Care**



# Wall Art Sizes

## Select a Size

Choose from one of our many size options in any orientation.



46" x 71"  
(1169mm x 1804mm)



46" x 46"  
(1169mm x 1169mm)



31" x 46"  
(788mm x 1169mm)



23" x 31"  
(584mm x 762mm)



23" x 94"  
(585mm x 2388mm)



23" x 71"  
(585mm x 1804mm)



23" x 46"  
(585mm x 1169mm)



23" x 23"  
(585mm x 585mm)

# Finishes


## Select a Finish

Our finish options let you decide the tone of your artwork.


**Glossy:** Our glossy top-layer finish protects the artwork printed on the layer beneath for vivid color with great durability.

**Matte:** This surface finish is flat, without a shine to showcase texture within your image.

Glossy



Matte





# Wall Art Mounting Options

## Select Your Mounting

Choose from Tape, Z Clips, Standoffs, Wall Cable Mount System, Frame, or Security Hangers to display your Wall Art. Our Standoff and Z Clip mounting options offer flexibility to change your images to match the seasons or reflect a special theme.



### Standoffs

Minimalistic hardware option that comes in multiple sizes and finishes.



### Cable Suspension

Display your artwork with a modern twist by a series of supports and cables.



### Frame Mount

A classic look that makes commercial art feel traditional.



### Security Mount

Keep your art safe from falls or theft with the locking Security Mount kit.



### Z Clips

To achieve a design without the look of hardware, use Z Clips that fasten behind your art.

**Ask about our other mounting options!**

## Installation

Need help getting your masterpieces up on your walls? Ask our sales representatives about our installation packages.





# Frame Mount


## Standard Wall Art Sizes:

\*Overall Size varies by frame type.

\*\*Narrow Frame only available in 23"x 23" and 23" x 31"

23" x 23" (585mm x 585mm)	23" x 31" (584mm x 762mm)
31" x 46" (788mm x 1169mm)	33" x 46" (585mm x 1169mm)
46" x 46" (1169mm x 1169mm)	23" x 71" (585mm x 1804mm)
46" x 71" (1169mm x 1804mm)	23" x 94" (585mm x 2388mm)

## Frame Finishes



### **Muted Cool Silver** (WF105)

*Coordinates with Palladium®  
5E025 Brushed Silver*

### **Mocha Walnut** (WF104)

*Coordinates with Palladium®  
0546 Coffee Bean*

### **Catalogue Honey** (WF103)

*Coordinates with Palladium®  
0535 Honey Nut*

### **Blond Maple** (WF102)

*Coordinates with Palladium®  
0531 Natural Maple*

### **Gallery Black** (WF106)

*Coordinates with Palladium®  
0152 Black*

### **American Barn** (WF101)

*Coordinates with Palladium®  
5E030 Washed Walnut*

### **Gallery White** (WF107)

*Coordinates with Palladium®  
0101 Designer White*

## Frame Profiles



Narrow\*\* Frame  
¾"W x 1 ¼"D (19mm x 32 mm)

\*Add 1 ½" to height and width  
of standard image size for  
overall dimensions.

\*\*Narrow Frame only available in  
23"x 23" and 23" x 31"



Wide Frame  
2"W x ¾"D (51mm x 19 mm)

\*Add 4" to height and width  
of standard image size for  
overall dimensions.



Scooped - Wide frame only  
2"W x ¾"D (51mm x 19 mm)

\*Add 4" to height and width  
of standard image size for  
overall dimensions.

# expansion joint **systems**

## **expertly engineered**

We constantly test and review our systems for continuous innovation to provide you with the best solutions. Yeah we're obsessed, but in a good way.

## **designed to protect**

From ensuring smooth transitions for rolling equipment carts, gurneys and wheelchairs, to preventing the spread of smoke and fire, we integrate building protection right into the product's design.

## **manufactured with care**

We verify that only the best products are shipped out to your project. Our team of experts are here to help with your project-specific conditions.





**Oregon Health and Science University | Portland, OR**  
221 Floor System, 616 Flush Mount System, Insulated Vapor Barrier,  
Fireline® 520 Fire Blanket, 651 Roof System



# Join the **movement.**



No matter where they are in the world, fire, wind, thermal energy, seismic activity and heavy equipment are forces of nature constantly at work against your building, causing wear and damage – or worse – threatening people's safety. When it comes to your building...don't settle.



Join the Movement™ with countless others across the world using Inpro's Expansion Joint + Fire Barrier Systems. Experienced experts and a proven product selection of technically engineered expansion joint solutions help support you and your building from start to finish.

## Premium Service You and Your Buildings Deserve:

- Factory-direct dedicated expert support team
- Complete submittal package including shop drawings, product data, installation instructions, and testing reports
- No-charge in-house takeoffs
- Wide variety of proven, all-in-one expansion joint + fire barrier solutions for any market
- Proprietary fire blanket design that provides simplicity of installation
- Continuing education resources for expansion joint + fire barrier applications

## Solutions for every market.



 [Learn more at inpro.com/jointhemovement](https://inpro.com/jointhemovement)

250

obsessed with protecting buildings®





**Boston Logan International Airport | Boston, MA**

1200 Series Foam Seal, 501 Pan System, 353 Wall System, Fireline® 140 Fire Barrier

# thermal systems

## Floor Systems



101 Series - Recessed Mount, Flat Seal



104 Series - Surface Mount, Flat Seal



105/106 Series - Sheet Vinyl or Carpet



107/108/109/110 Series - New to Existing



120 Series - Flush Mount New to Existing



221/223 Series - Recessed Mount, Dual Seal



471 Series - Surface Mount Cover



801 Series - Standard Cover Plate



802/807 Series - Surface Cover Plate for Shallow Flooring



430 Series - Smooth Recessed Mount, Tapered Plate



808 Series - Serrated Cover Plate

## Wall + Ceiling Systems



101 Series Recessed Mount



104 Series Surface Mount



112 Series Recessed Mount



113 Series Surface Mount, Drywall Finish



118 Series Throat Mount



116 Series - Acoustical Ceiling



811 Series Surface Mount, Variable Degree



821 Series Acoustical Ceiling

# foam + compression seals



1100/1150 Series Compression Foam (Waterproof)




1175 Series Traffic Rated-Silicone Faced, Pre-compressed Foam (Water-Resistant)



1200 Series - Silicone Faced, Pre-compressed Foam




1250 Series Silicone Faced Compression Foam



AR Series Compression Seal



CR Series Compression Seal



SR Series Splitslab - Frame Mounted Compression Seal




Custom Color Foam Seals

\* Denotes Patented Product. Visit [inpro.com/patents](http://inpro.com/patents) for more details.

# seismic systems

## Floor Systems



432 Series - Smooth Recessed Mount, Tapered Plate




300 Series - Glide Plate, Recessed Mount



428 Series Shallow Finish - Infillable Flooring



502 Series - Hinged Deep Pan Cover



441 Series - Recessed Mount



501 R Series - Shallow Pan System



806 Series - Pivot Hinged Plate



223 Series - Shallow Flooring Cover

## Wall + Ceiling Systems



114 Series - Pleated Seal for Drywall Finish



115 Series - Pleated Seal for Acoustical Ceiling



221 Series - Clear Anodized Aluminum Plate



223 Series - Drywall Infill



353 Series - Dynamic Movement, Infillable Cover



300 Series - Glide Plate, Recessed Mount



491 Series - Low Profile Cover Assembly



611 Series - Pleated Seal, Flush Mount

This is a sampling of our Expansion Joint Systems. To request the full catalog, visit [inpro.com](http://inpro.com).

# exterior systems

## Roof + Wall Systems



300E Series  
Exterior Glide Plate



491E - Exterior Low  
Profile Cover



615 Series  
Flush Mount Seal  
System



616 Series  
Flush Mount Exterior  
Wall



651 Series  
Centering Bar, Surface  
Mount



651 Series - Curb  
Mounted, Horizontal  
System



661 Series  
Centering Bar,  
Curb Mounted




672 Series  
Bellows/Canted Roof



674 Series  
Bellows/Curb Flange

## heavy duty systems



501 Series - Heavy  
Duty Deep Flooring  
Pan System



787NS Series - Heavy  
Duty, Serrated Smooth  
Tapered Plate for  
Interiors



733 Series - Heavy  
Duty Small Movement,  
Recessed Mount



787 Series - Heavy  
Duty, Serrated Tapered  
Plate for Exteriors



797 Series - Heavy  
Duty Cover Plate for  
Exteriors



797L - Heavy Duty  
Lateral Shear  
Coverplate

## moisture barrier systems



Insulated Vapor  
Barrier for Exterior  
Walls and Roofs



Vapor Barrier and  
Optional Drain

## wide + lateral shear



426/428 Series -  
Shallow Flooring



501 Series System -  
Wide Span



355 - Lateral Shear -  
Wide Span Infillable



353C - Lateral Shear -  
Wide Span - Metal Faced



650C Series  
Roof System



650C Series  
Exterior Wall System



650 Series  
Pan "Infill" System





**Forest Park Middle School | Franklin, WI**  
114 Ceiling System, 432 Floor System, 300 Wall System

# Fireline® Fire Barriers

With lives on the line,  
**there's only one  
family of fire barriers  
you can trust.**

Fill the gap between disaster and rescue by filling the gaps in your building with expertly engineered protection.







# Trusted in some of the most iconic buildings.

Building expansion joint and slab openings inherently create a pathway for fire and smoke to travel and spread throughout the structure. Inpro's broad array of Fire Barrier products provide protection for 1, 2, 3 and 4-hour rated conditions to keep the threat contained.

- UL 2079 - Test for fire resistance of building joint systems.
- ULC S-115 - Test for fire resistance of building joint systems for Canadian regulations.
- EN 1366-4 - Fire Resistance test for Service Installations. Linear Joint Seals. (Equivalent to BS 476, Part 20). 120 minutes.
- Fireline products are accepted by many local Civil Defense authorities throughout Middle Eastern/GCC Countries. Contact your local Inpro representative for territory specific details.



*Note: Tested product configurations vary by region. Please contact your regional Inpro office for more information.*

## fire barrier systems



Fireline™ 140  
Fire Barrier System



Fireline™ 520  
Fire Barrier System



Fireline™  
Water Guard®  
Fire Barrier System



925 Fire Barrier System  
Mineral Wool & Sealant



995 Fire Rated  
Pre-compressed Foam

\* Denotes Patented Product. Visit [inpro.com/patents](http://inpro.com/patents) for more details.



Visit [inpro.com/fireline](http://inpro.com/fireline) to learn more about Fireline® Fire Barriers.





**One World Trade Center | New York City, NY**  
Fireline® 520 Expansion Joint Systems





We make **architectural  
products** because we  
are **obsessed with  
protecting buildings.**



## **obsessed with protecting buildings®**

How they look. How they function.  
And how they protect the health and safety  
of the people who use them every day.

That's why we make hundreds of architectural  
products all under one roof and work tirelessly to  
make sure you and your buildings succeed.

Yeah, we are obsessed. But we wouldn't  
have it any other way.

**inpro.com**

800.222.5556

World Headquarters  
580 W18766 Apollo Drive  
Muskego, WI 53150 USA

IPC® Door + Wall Protection  
Ascend® Elevator Interiors  
WT® Commercial Window Treatments  
Clickeze® Privacy Systems  
Endurant® Washroom Systems  
SignScape® Architectural Signage  
JointMaster® Expansion Joint Systems

©2025 V1 Inpro Corporation

